1037-00-65
Yangjin Kim* (ykim@mbi.osu.edu), Mathematical Biosciences Institute, OSU, Jennings Hall, 3rd Floor, 1735 Neil Avenue, Columbus, OH 43210, Avner Friedman, Mathematical Biosciences Institute, OSU, Jennings Hall, 3rd Floor, 1735 Neil Avenue, Columbus, OH 43210, Michael Ostrowski, Human Cancer Genetics Program, OSU, 370A Tzagournis Medical Research Facility, 426 W. 12th Ave, Columbus, OH 43210, Julie Wallace, Human Cancer Genetics, Ohio State University, 370A Tzagournis Medical Research Facility, 426 W. 12th Ave, Columbus, OH 43210, Julie Wallace, Human Cancer Genetics, Ohio State University, 370A Tzagournis Medical Research Facility, 426 W. 12th Ave, Columbus, OH 43210. Transformed Epithelial cells and fibroblasts/myofibroblasts interaction in Breast Tumor: A Mathematical Model and Experiments. Preliminary report.

We developed a transwell model to understand the role of fibroblasts/myofibroblasts in early development of breast cancer. Tumor cells located in bottom of well were allowed to communicated with fibroblasts/myofibroblasts on top insert via growth factors through the holes of size 0.4 micron on membrane between two cell cultures. A mathematical model of density of tumor cells, fibroblasts/myofibroblasts, and concentration of EGF, TGF-beta was used to explore the interaction between tumor cells and fibroblasts/myofibroblasts. (Received January 21, 2008)