

Conference Board of the Mathematical Sciences

CBMS

Regional Conference Series in Mathematics

Number 112

Topological Quantum Computation

Zhenghan Wang



American Mathematical Society
with support from the
National Science Foundation



Topological Quantum Computation

Conference Board of the Mathematical Sciences

CBMS

Regional Conference Series in Mathematics

Number 112

Topological Quantum Computation

Zhenghan Wang

Published for the
Conference Board of the Mathematical Sciences
by the

American Mathematical Society
Providence, Rhode Island
with support from the
National Science Foundation



NSF-CBMS-Regional Conference in the
Mathematical Sciences on Topological Quantum Computing
held at the University of Central Oklahoma, Edmond, Oklahoma
July 9–13, 2008

Partially supported by the National Science Foundation.

The author acknowledges support from the Conference Board of the
Mathematical Sciences and NSF grant #0735291

2000 *Mathematics Subject Classification*. Primary 57M27, 81P68, 68Q12, 18D10;
Secondary 57–02, 81–02, 68–02, 18–02.

For additional information and updates on this book, visit
www.ams.org/bookpages/cbms-112

Library of Congress Cataloging-in-Publication Data

NSF-CBMS Regional Conference on Topological Quantum Computing (2008 : University of Central Oklahoma)

Topological quantum computation / Zhenghan Wang.

p. cm. — (Regional conference series in mathematics / Conference Board of the Mathematical Sciences ; no. 112)

Proceedings of the NSF-CBMS Regional Conference on Topological Quantum Computing held at the University of Central Oklahoma, Edmond, OK, July 9–13, 2008.

Includes bibliographical references.

ISBN 978-0-8218-4930-9 (alk. paper)

1. Complex manifolds—Congresses. 2. Quantum theory—Congresses. 3. Quantum computer—Congresses. I. Wang, Zhenghan. II. Title.

QA613.2.N74 2008

515'.946—dc22

2010005661

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy a chapter for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for such permission should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, Rhode Island 02904-2294 USA. Requests can also be made by e-mail to reprint-permission@ams.org.

Copyright © 2010 by Zhenghan Wang

The American Mathematical Society retains all rights
except those granted to the United States Government.

Printed in the United States of America.

∞ The paper used in this book is acid-free and falls within the guidelines
established to ensure permanence and durability.

Visit the AMS home page at <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1 15 14 13 12 11 10

To my parents, who gave me life.
To my teachers, who changed my life.
To my family and Station Q, where I belong.

Contents

Preface	ix
Acknowledgments	xiii
Chapter 1. Temperley-Lieb-Jones Theories	1
1.1. Generic Temperley-Lieb-Jones algebroids	1
1.2. Jones algebroids	13
1.3. Yang-Lee theory	16
1.4. Unitarity	17
1.5. Ising and Fibonacci theory	19
1.6. Yamada and chromatic polynomials	22
1.7. Yang-Baxter equation	22
Chapter 2. Quantum Circuit Model	25
2.1. Quantum framework	26
2.2. Qubits	27
2.3. n -qubits and computing problems	29
2.4. Universal gate set	29
2.5. Quantum circuit model	32
2.6. Simulating quantum physics	32
Chapter 3. Approximation of the Jones Polynomial	35
3.1. Jones evaluation as a computing problem	35
3.2. $\text{FP}^{\#P}$ -completeness of Jones evaluation	36
3.3. Quantum approximation	37
3.4. Distribution of Jones evaluations	39
Chapter 4. Ribbon Fusion Categories	41
4.1. Fusion rules and fusion categories	41
4.2. Graphical calculus of RFCs	44
4.3. Unitary fusion categories	49
4.4. Link and 3-manifold invariants	49
4.5. Frobenius-Schur indicators	51
4.6. Modular tensor categories	53
4.7. Classification of MTCs	55
Chapter 5. $(2+1)$ -TQFTs	57
5.1. Quantum field theory	58
5.2. Witten-Chern-Simons theories	60
5.3. Framing anomaly	61
5.4. Axioms for TQFTs	61

5.5.	Jones-Kauffman TQFTs	68
5.6.	Diagram TQFTs	69
5.7.	Reshetikhin-Turaev TQFTs	71
5.8.	Turaev-Viro TQFTs	71
5.9.	From MTCs to TQFTs	72
Chapter 6.	TQFTs in Nature	73
6.1.	Emergence and anyons	73
6.2.	FQHE and Chern-Simons theory	75
6.3.	Algebraic theory of anyons	78
6.4.	Intrinsic entanglement	86
Chapter 7.	Topological Quantum Computers	89
7.1.	Anyonic quantum computers	89
7.2.	Ising quantum computer	91
7.3.	Fibonacci quantum computer	92
7.4.	Universality of anyonic quantum computers	93
7.5.	Topological quantum compiling	94
7.6.	Approximation of quantum invariants	94
7.7.	Adaptive and measurement-only TQC	95
Chapter 8.	Topological phases of matter	97
8.1.	Doubled quantum liquids	97
8.2.	Chiral quantum liquids	102
8.3.	CFT and Holo=Mono	104
8.4.	Bulk-edge correspondence	104
8.5.	Interacting anyons and topological symmetry	105
8.6.	Topological phase transition	106
8.7.	Fault tolerance	106
Chapter 9.	Outlook and Open Problems	109
9.1.	Physics	109
9.2.	Computer science	110
9.3.	Mathematics	110
Bibliography		111

Preface

The factors of any integer can be found quickly by a quantum computer. Since P. Shor discovered this efficient quantum factoring algorithm in 1994 [S], people have started to work on building these new machines. As one of those people, I joined Microsoft Station Q in Santa Barbara to pursue a topological approach in 2005. My dream is to braid non-abelian anyons. So long hours are spent on picturing quasiparticles in fractional quantum Hall liquids. From my office on UCSB campus, I often see small sailboats sailing in the Pacific Ocean. Many times I am lost in thought imagining that the small sailboats are anyons and the ocean is an electron liquid. Then to carry out a topological quantum computation is as much fun as jumping into such small sailboats and steering them around each other.

Will we benefit from such man-made quantum systems besides knowing factors of large integers? A compelling reason for a yes comes from the original idea of R. Feynman: a quantum computer is an efficient universal simulator of quantum mechanics. This was suggested in his original paper [Fe82]. Later, an efficient simulation of topological quantum field theories was given by M. Freedman, A. Kitaev, and the author [FKW]. These results provide support for the idea that quantum computers can efficiently simulate quantum field theories, although rigorous results depend on mathematical formulations of quantum field theories. So quantum computing literally promises us a new world. More speculatively, while the telescope and microscope have greatly extended the reach of our eyes, quantum computers would enhance the power of our brains to perceive the quantum world. Would it then be too bold to speculate that useful quantum computers, if built, would play an essential role in the ontology of quantum reality?

Topological quantum computation is a paradigm to build a large-scale quantum computer based on topological phases of matter. In this approach, information is stored in the lowest energy states of many-anyon systems, and processed by braiding non-abelian anyons. The computational answer is accessed by bringing anyons together and observing the result. Topological quantum computation stands uniquely at the interface of quantum topology, quantum physics, and quantum computing, enriching all three subjects with new problems. The inspiration comes from two seemingly independent themes which appeared around 1997. One was Kitaev's idea of fault-tolerant quantum computation by anyons [Ki1]; the other was Freedman's program to understand the computational power of topological quantum field theories [Fr1]. It turns out the two ideas are two sides of the same coin: the algebraic theory of anyons and the algebraic data of a topological quantum field theory are both modular tensor categories. The synthesis of the two ideas ushered in topological quantum computation. The topological quantum computational model is

efficiently equivalent to other models of quantum computation, such as the quantum circuit model, in the sense that all models solve the same class of problems in polynomial time [FKW, FLW1, FKLW].

Besides its theoretical esthetic appeal, the practical merit of the topological approach lies in its error-minimizing hypothetical hardware: topological phases of matter are fault-avoiding or deaf to most local noises, and unitary gates are implemented with exponential accuracy. There exist semi-realistic local model Hamiltonians whose ground states are proven to be error-correcting codes such as the celebrated toric code. It is an interesting question to understand whether fault-avoidance will survive in more realistic situations, such as at finite temperatures or with thermal fluctuations. Perhaps no amount of modeling can be adequate for us to completely understand Mother Nature, who has repeatedly surprised us with her magic.

We do not have any topological qubits yet. Since scalability is not really an issue in topological quantum computation—rather, the issue is controlling more anyons in the system—it follows that demonstrating a single topological qubit is very close to building a topological quantum computer. The most advanced experimental effort to build a topological quantum computer at this writing is fractional quantum Hall quantum computation. There is evidence both experimentally and numerically that non-abelian anyons exist in certain 2-dimensional electron systems that exhibit the fractional quantum Hall effect. Other experimental realizations are conceived in systems such as rotating bosons, Josephson junction arrays, and topological insulators.

This book expands the plan of the author’s 2008 NSF-CBMS lectures on knots and topological quantum computing, and is intended as a primer for mathematically inclined graduate students. With an emphasis on introduction to basic notions and current research, the book is almost entirely about the mathematics of topological quantum computation. For readers interested in the physics of topological quantum computation with an emphasis on fractional quantum Hall quantum computing, we recommend the survey article [NSSFD]. The online notes of J. Preskill [P] and A. Kitaev’s two seminal papers [Ki1] [Ki2] are good references for physically inclined readers. The book of F. Wilczek [Wi2] is a standard reference for the physical theory of anyons, and contains a collection of reprints of classic papers on the subject.


The CBMS conference gave me an opportunity to select a few topics for a coherent account of the field. No efforts have been made to be exhaustive. The selection of topics is personal, based on my competence. I have tried to cite the original reference for each theorem along with references which naturally extend the exposition. However, the wide-ranging and expository nature of this monograph makes this task very difficult if not impossible. I apologize for any omission in the references.

The contents of the book are as follows: Chapters 1,2,4,5,6 are expositions, in some detail, of Temperley-Lieb-Jones theory, the quantum circuit model, ribbon fusion category theory, topological quantum field theory, and anyon theory, while Chapters 3,7,8 are sketches of the main results on the selected topics. Chapter 3 is on the additive approximation of the Jones polynomial, Chapter 7 is on the universality of certain anyonic quantum computing models, and Chapter 8 is on the mathematical models of topological phases of matter. Finally, Chapter 9 lists a

few open problems. Chapters 1,2,3 give a self-contained treatment of the additive approximation algorithm. Moreover, universal topological quantum computation models can be built from some even-half theories of Jones algebroids such as the Fibonacci theory. Combining the results together, we obtain an equivalence of the topological quantum computational model with the quantum circuit model. Chapters 1,2,3, based on graphical calculus of ribbon fusion categories, are accessible to entry-level graduate students in mathematics, physics, or computer science. A ribbon fusion category, defined with 6j symbols, is just some point up to equivalence on an algebraic variety of polynomial equations. Therefore the algebraic theory of anyons is elementary, given basic knowledge of surfaces and their mapping class groups of invertible self-transformations up to deformation.

Some useful books on related topics are: for mathematics, Bakalov-Kirillov [BK], Kassel [Kas], Kauffman-Lins [KL], and Turaev [Tu]; for quantum computation, Kitaev-Shen-Vyalyi [KSV] and Nielsen-Chuang [NC]; and for physics, Altland-Simons [AS], Di Francesco-Mathieu-Senechal [DMS], and Wen [Wen7].

Topological quantum computation sits at the triple juncture of quantum topology, quantum physics, and quantum computation:



The existence of topological phases of matter (TPM) with non-abelian anyons would lead us to topological quantum computation (TQC) via unitary modular tensor categories (UMTC):

$$\text{TPM} \longrightarrow \text{UMTC} \longrightarrow \text{TQC}$$

Thus the practical aspect of topological quantum computation hinges on the existence of non-abelian topological states.

Will we succeed in building a large scale quantum computer? Only time will tell. To build a useful quantum computer requires unprecedented precise control of quantum systems, and complicated dialogues between the classical and quantum worlds. Though Nature seems to favor simplicity, she is also fond of complexity as evidenced by our own existence. Therefore, there is no reason to believe that she would not want to claim quantum computers as her own.

Acknowledgments

I would like to thank CBMS and NSF for sponsoring the conference; C. Simons and J. Byrne for the excellent organization; and A. Basmajian, W. Jaco, E. Rowell, and S. Simon for giving invited lectures. It was a pleasure to lecture on an emerging field that is interdisciplinary and still rapidly developing. Over the years I have had the good fortune to work with many collaborators in mathematics and physics, including M. Freedman, A. Kitaev, M. Larsen, A. Ludwig, C. Nayak, N. Read, K. Walker, and X.-G. Wen. Their ideas on the subject and other topics strongly influence my thinking, especially M. Freedman. He and I have been collaborating ever since I went to UCSD to study under him two decades ago. His influence on me and the field of topological quantum computation cannot be overstated. I also want to thank M. Fisher. Though not a collaborator, repeating his graduate course on condensed matter physics and having many questions answered by him, I started to appreciate the beautiful picture of our world painted with quantum field theory, and to gain confidence in physics. He richly deserves of my apple. In the same vein, I would like to thank V. Jones for bringing me to his mathematical world, and his encouragement. Jones's world is home to me. Last but not least, I would like to thank J. Liptrap for typesetting the book and correcting many errors, and D. Sullivan for smoothing the language of the Preface. Of course, errors that remain are mine.

Bibliography

- [AAEL] D. Aharonov, I. Arad, E. Eban, and Z. Landau, *Polynomial quantum algorithms for additive approximations of the Potts model and other points of the Tutte plane*, [arXiv:quant-ph/0702008](#).
- [AJL] D. Aharonov, V. Jones, and Z. Landau, *A polynomial quantum algorithm for approximating the Jones polynomial*, STOC '06: Proceedings of the 38th Annual ACM Symposium on Theory of Computing, ACM, New York (2006), 427–436, [arXiv:quant-ph/0511096](#).
- [ASW] D. Arovas, J. Schrieffer, and F. Wilczek, *Fractional statistics and the quantum Hall effect*, Phys. Rev. Lett. **53**, 7 (1984), 722–723.
- [AS] A. Altland and B. Simons, *Condensed Matter Field Theory*, Cambridge University Press, 2006.
- [A] M. Atiyah, *On framings of 3-manifolds*, Topology **29**, 1 (1990), 1–7.
- [BK] B. Bakalov and A. Kirillov, Jr., *Lectures on Tensor Categories and Modular Functors*, University Lecture Series **21**, Amer. Math. Soc., 2001.
- [Ba] P. Bantay, *The Frobenius-Schur indicator in conformal field theory*, Phys. Lett. B **394**, 1–2 (1997), 87–88, [arXiv:hep-th/9610192](#).
- [Ba2] P. Bantay, *The kernel of the modular representation and the Galois action in RCFT*, Comm. Math. Phys. **233**, 3 (2003), 423–438, [arXiv:math/0102149](#).
- [BaW1] M. Barkeshli and X.-G. Wen, *Structure of quasiparticles and their fusion algebra in fractional quantum Hall states*, Phys. Rev. B **79**, 19 (2009), 195132, [arXiv:0807.2789](#).
- [BaW2] M. Barkeshli and X.-G. Wen, *Effective field theory and projective construction for the Z_k parafermion fractional quantum Hall states*, [arXiv:0910.2483](#).
- [BM] D. Belov and G. Moore, *Classification of abelian spin Chern-Simons theories*, [arXiv:hep-th/0505235](#).
- [BHMV] C. Blanchet, N. Habegger, G. Masbaum, and P. Vogel, *Topological quantum field theories derived from the Kauffman bracket*, Topology **34**, 4 (1995), 883–927.
- [BIW] B. Blok and X.-G. Wen, *Many-body systems with non-abelian statistics*, Nuc. Phys. B **374** (1992), 615–646.
- [Bo] P. Bonderson, *Non-abelian anyons and interferometry*, Caltech Ph.D. thesis, 2007.
- [BFN] P. Bonderson, M. Freedman, and C. Nayak, *Measurement-only topological quantum computation via anyonic interferometry*, Annals Phys. **324**, 14 (2009), 787–826, [arXiv:0808.1933](#).
- [BHZS] N. Bonesteel, L. Hormozi, G. Zikos, and S. Simon, *Braid topologies for quantum computation*, Phys. Rev. Lett. **95** (2005), 140503.
- [BFLW] M. Bordewich, M. Freedman, L. Lovász, and D. Welsh, *Approximate counting and quantum computation*, Combin. Probab. Comput. **14**, 5–6 (2005), 737–754, [arXiv:0908.2122](#).
- [Brav] S. Bravyi, *Universal quantum computation with the $\nu=5/2$ fractional quantum Hall state*, Phys. Rev. A **73** (2006), 042313, [arXiv:quant-ph/0511178](#).
- [BrK] S. Bravyi and A. Kitaev, *Quantum invariants of 3-manifolds and quantum computation*, unpublished (2001).
- [Bru] A. Bruguières, *Catégories prémodulaires, modularisations et invariants des variétés de dimension 3*, (French) Math. Ann. **316**, 2 (2000), 215–236.
- [BXMW] M. Burrello, H. Xu, G. Mussardo, and X. Wan, *Topological quantum hashing with icosahedral group*, [arXiv:0903.1497](#).
- [CF] C. Caves and C. Fuchs, *Quantum information: How much information in a state vector?*, [arXiv:quant-ph/9601025](#).
- [DLL] O. Dasbach, T. Le, and X.-S. Lin, *Quantum morphing and the Jones polynomial*, Comm. Math. Phys. **224**, 2 (2001), 427–442.

- [DFN] S. Das Sarma, M. Freedman, and C. Nayak, *Topologically protected qubits from a possible non-abelian fractional quantum Hall state*, Phys. Rev. Lett. **94**, 16 (2005), 166802, [arXiv:cond-mat/0412343](#).
- [DMNO] A. Davydov, M. Müger, D. Nikshych, and V. Ostrik, *Étale algebras in braided fusion categories*, in preparation.
- [DFLN] S. Dong, E. Fradkin, R. G. Leigh, and S. Nowling, *Topological entanglement entropy in Chern-Simons theories and quantum Hall fluids*, J. High Energy Phys. **05** (2008), 016.
- [DGG] P. Di Francesco, O. Golinelli, and E. Guitter, *Meanders and the Temperley-Lieb algebra*, Comm. Math. Phys. **186** (1997), 1–59, [arXiv:hep-th/9602025](#).
- [DMS] P. Di Francesco, P. Mathieu, and D. Senechal, *Conformal Field Theory*, Graduate Texts in Contemporary Physics, Springer; 1st ed. 1997. Corr. 2nd printing edition (January 18, 1999).
- [D] H. Dye, *Unitary solutions to the Yang-Baxter equation in dimension four*, Quantum Inf. Process. **2**, 1–2 (2002), 117–151 (2003), [arXiv:quant-ph/0211050](#).
- [ENO] P. Etingof, D. Nikshych, and V. Ostrik, *On fusion categories*, Ann. of Math. (2) **162**, 2 (2005), 581–642, [arXiv:math/0203060](#).
- [FTLTKEF] A. Feiguin, S. Trebst, A. Ludwig, M. Troyer, A. Kitaev, Z. Wang, and M. Freedman, *Interacting anyons in topological quantum liquids: The golden chain*, Phys. Rev. Lett. **98** (2007), 160409, [arXiv:cond-mat/0612341](#).
- [Fe82] R. Feynman, *Simulating physics with computers*, International Journal of Theor. Physics **21**, 6 (1982), 467–488.
- [FFNWW] L. Fidkowski, M. and Freedman, C. Nayak, K. Walker, and Z. Wang, *From string nets to nonabelions*, Comm. Math. Phys. **287**, 3 (2009), 805–827, [arXiv:cond-mat/0610583](#).
- [Fi] M. Finkelberg, *An equivalence of fusion categories*, Geom. Funct. Anal. **6**, 2 (1996), 249–267.
- [FNTW] E. Fradkin, C. Nayak, A. Tsvelik, and F. Wilczek, *A Chern-Simons effective field theory for the pfaffian quantum Hall state*, Nucl. Phys. B **516**, 3 (1998), 704–718, [arXiv:cond-mat/9711087](#).
- [FRW] J. Franko, E. Rowell, and Z. Wang, *Extraspecial 2-groups and images of braid group representations*, J. Knot Theory Ramifications **15**, 4 (2006), 413–427, [arXiv:math.RT/0503435](#).
- [Fr1] M. Freedman, *P/NP, and the quantum field computer*, Proc. Natl. Acad. Sci. USA **95**, 1 (1998), 98–101.
- [Fr2] M. Freedman, *A magnetic model with a possible Chern-Simons phase*, with an appendix by F. Goodman and H. Wenzl, Comm. Math. Phys. **234**, 1 (2003), 129–183, [arXiv:quant-ph/0110060](#).
- [Fr3] M. Freedman, Station Q seminar (2007).
- [FKLW] M. Freedman, A. Kitaev, M. Larsen, and Z. Wang, *Topological quantum computation*, Bull. Amer. Math. Soc. (N.S.) **40**, 1 (2003), 31–38, [arXiv:quant-ph/0101025](#).
- [FKW] M. Freedman, A. Kitaev, and Z. Wang, *Simulation of topological field theories by quantum computers*, Comm. Math. Phys. **227**, 3 (2002), 587–603, [arXiv:quant-ph/0001071](#).
- [FLW1] M. Freedman, M. Larsen, and Z. Wang, *A modular functor which is universal for quantum computation*, Comm. Math. Phys. **227**, 3 (2002), 605–622, [arXiv:quant-ph/0001108](#).
- [FLW2] M. Freedman, M. Larsen, and Z. Wang, *The two-eigenvalue problem and density of Jones representation of braid groups*, Comm. Math. Phys. **228**, 1 (2002), [arXiv:math.GT/0103200](#).
- [FNSWW] M. Freedman, C. Nayak, K. Shtengel, K. Walker, and Z. Wang, *A class of P,T-invariant topological phases of interacting electrons*, Ann. Phys. **310**, 2 (2004), 428–492, [arXiv:cond-mat/0307511](#).
- [FNW] M. Freedman, C. Nayak, and K. Walker, *Towards universal topological quantum computation in the $\nu = 5/2$ fractional quantum Hall state*, Phys. Rev. B **73**, 24 (2006), 245307, [arXiv:cond-mat/0512066](#).
- [FNWW] M. Freedman, C. Nayak, K. Walker, and Z. Wang, *On picture (2+1)-TQFTs*, in Topology and Physics, Nankai Tracts Math. **12**, World Sci. Publ., Hackensack, NJ, 2008, 19–106, [arXiv:0806.1926](#).
- [FWW] M. Freedman, K. Walker, and Z. Wang, *Quantum SU(2) faithfully detects mapping class groups modulo center*, Geom. Topol. **6** (2002), 523–539, [arXiv:math.GT/0209150](#).
- [FW] M. Freedman and Z. Wang, *Large quantum Fourier transforms are never exactly realized by braiding conformal blocks*, Phys. Rev. A (3) **75**, 3 (2007), 032322, [arXiv:cond-mat/0609411](#).
- [FG] J. Fröhlich and F. Gabbiani, *Braid statistics in local quantum theory*, Rev. Math. Phys. **2**, 3 (1990), 251–353.

- [FM] J. Fröhlich and P. Marchetti, *Quantum field theory of anyons*, Lett. Math. Phys. **16**, 4 (1988), 347–358.
- [GW] F. Goodman and H. Wenzl, *The Temperley-Lieb algebra at roots of unity*, Pacific J. Math. **161**, 2 (1993), 307–334.
- [G] D. Gottesman, *Theory of fault-tolerant quantum computation*, Phys. Rev. Lett. A **57** (1998), 127–137.
- [GWW] M. Greiter, X.-G. Wen, and F. Wilczek, *Paired Hall state at half filling*, Phys. Rev. Lett. **66**, 24 (1991), 3205–3208.
- [GATLTW] C. Gils, E. Ardonne, S. Trebst, A. Ludwig, M. Troyer, and Z. Wang, *Collective states of interacting anyons, edge states, and the nucleation of topological liquids*, Phys. Rev. Lett. **103** (1991), 070401.
- [GTKLT] C. Gils, S. Trebst, A. Kitaev, A. Ludwig, and M. Troyer, *Topology-driven quantum phase transition in time-reversal-invariant anyonic quantum liquids*, Nature Physics **5**, 834 (2009).
- [Hag] T. Hagge, *Graphical calculus for fusion categories and quantum invariants for 3-manifolds*, Indiana University Ph.D. thesis, 2008.
- [HH] T. Hagge and S. Hong, *Some non-braided fusion categories of rank 3*, Commun. Contemp. Math. **11**, 4 (2009), 615–637, [arXiv:0704.0208](#).
- [Hal] B. Halperin, *Statistics of quasiparticles and the hierarchy of fractional quantized Hall states*, Phys. Rev. Lett. **52**, 18 (1984), 1583–1586.
- [H] S.-M. Hong, *On symmetrization of 6j-symbols and Levin-Wen Hamiltonian*, [arXiv:0907.2204](#).
- [HRW] S.-M. Hong, E. Rowell, and Z. Wang, *On exotic modular categories*, Commun. Contemp. Math. **10** (2008), suppl. 1, 1049–1074, [arXiv:0710.5761](#).
- [HBS] L. Hormozi, N. Bonesteel, and S. Simon, *Topological quantum computing with Read-Rezayi states*, Phys. Rev. Lett. **103** (2009), 160501, [arXiv:0903.2239](#).
- [I] D. Ivanov, *Non-abelian statistics of half-quantum vortices in p-wave superconductors*, Phys. Rev. Lett. **86**, 2 (2001), 268–271, [arXiv:cond-mat/0005069](#).
- [Ja] F. Jaeger, *Tutte polynomials and link polynomials*, Proc. Amer. Math. Soc. **103**, 2 (1988), 647–654, [arXiv:0902.1162](#).
- [Jo1] V. Jones, *Index for subfactors*, Invent. Math. **72**, 1 (1983), 1–25.
- [Jo2] V. Jones, *A polynomial invariant for knots via von Neumann algebras*, Bull. Amer. Math. Soc. (N.S.) **12**, 1 (1985), 103–111.
- [Jo3] V. Jones, *Braid groups, Hecke algebras and type II₁ factors*, in Geometric Methods in Operator Algebras (Kyoto, 1983), Pitman Res. Notes Math. Ser. **123**, Longman Sci. Tech., Harlow, 1986, 242–273. Harlow, 1986.
- [Jo4] V. Jones, *Hecke algebra representations of braid groups and link polynomials*, Ann. of Math. (2) **126**, 2 (1987), 335–388.
- [Kas] C. Kassel, *Quantum Groups*, Graduate Texts in Mathematics **155**, Springer-Verlag, New York, 1995.
- [Ki1] A. Kitaev, *Fault-tolerant quantum computation by anyons*, Ann. Physics **303**, 1 (2003), 2–30, [arXiv:quant-ph/9707021](#).
- [Ki2] A. Kitaev, *Anyons in an exactly solved model and beyond*, Ann. Physics **321**, 1 (2006), 2–111, [arXiv:cond-mat/0506438](#).
- [KP] A. Kitaev and J. Preskill, *Topological entanglement entropy*, Phys. Rev. Lett. **96**, 11 (2006), 110404, [arXiv:hep-th/0510092](#).
- [KSV] A. Kitaev, A. Shen, and V. Vyalıy, *Classical and Quantum Computation*, translated from the 1999 Russian original by L. Senechal, Graduate Studies in Mathematics **47**, American Mathematical Society, Providence, RI, 2002.
- [Kau] L. Kauffman, *State models and the Jones polynomial*, Topology **26**, 3 (1987), 395–407.
- [KL] L. Kauffman and S. Lins, *Temperley-Lieb recoupling theory and invariants of 3-manifolds*, Annals of Mathematics Studies **134**, Princeton University Press, Princeton, NJ, 1994.
- [KM1] R. Kirby and P. Melvin, *The 3-manifold invariants of Witten and Reshetikhin-Turaev for $sl(2, \mathbb{C})$* , Invent. Math. **105**, 3 (1991), 473–545.
- [KM2] R. Kirby and P. Melvin, *Local surgery formulas for quantum invariants and the Arf invariant*, Proceedings of the Casson Fest, Geom. Topol. Monogr. **7**, Geom. Topol. Publ., Coventry, 2004, 213–233, [arXiv:math.GT/0410358](#).

- [LRW] M. Larsen, E. Rowell, and Z. Wang, *The N -eigenvalue problem and two applications*, Int. Math. Res. Not. **64** (2005), 3987–4018, [arXiv:math/0506025](#).
- [LM] J. Leinaas and J. Myrheim, *On the theory of identical particles*, Il Nuovo Cimento B **37**, 1 (1977), 1–23.
- [LW1] M. Levin and X.-G. Wen, *String-net condensation: A physical mechanism for topological phases*, Phys. Rev. B **71**, 4 (2005), 045110, [arXiv:cond-mat/0404617](#).
- [LW2] M. Levin and X.-G. Wen, *Detecting topological order in a ground state wave function*, Phys. Rev. Lett. **96**, 11 (2006), 110405, [arXiv:cond-mat/0510613](#).
- [Li] J. Liptrap, *Generalized Tambara-Yamagami categories*, in preparation.
- [Ll] S. Lloyd, *Universal quantum simulators*, Science **273**, 5278 (1996), 1073–1078.
- [LWVW] Y.-M. Lu, X.-G. Wen, Z. Wang, and Z. Wang, *Non-abelian quantum Hall states and their quasiparticles: from the pattern of zeros to vertex algebra*, [arXiv:0910.3988](#).
- [Ma] S. MacLane, *Categories for the working mathematician*, Graduate Texts in Mathematics **5**, Springer-Verlag, New York-Berlin, 1971.
- [MW] D. Meyer and N. Wallach, *Global entanglement in multiparticle systems*, J. Math. Phys. **43**, 9 (2002), 4273–4278, [arXiv:quant-ph/0108104](#).
- [MR] G. Moore and N. Read, *Nonabelions in the fractional quantum Hall effect*, Nuclear Phys. B **360**, 2–3 (1991), 362–396.
- [Mu1] M. Müger, *From subfactors to categories and topology I, Frobenius algebras in and Morita equivalence of tensor categories*, J. Pure Appl. Algebra **180**, 1-2 (2003), 81–157, [arXiv:math.CT/0111204](#).
- [Mu2] M. Müger, *From subfactors to categories and topology II, The quantum double of tensor categories and subfactors*, J. Pure Appl. Algebra **180**, 1-2 (2003), 159–219, [arXiv:math.CT/0111205](#).
- [NSSFD] C. Nayak, S. Simon, A. Stern, M. Freedman, and S. Das Sarma, *Non-abelian anyons and topological quantum computation*, Rev. Mod. Phys. **80**, 3 (2008), 1083–1159, [arXiv:0707.1889](#).
- [NR] D. Naidu and E. Rowell, *A finiteness property for braided fusion categories*, [arXiv:0903.4157](#).
- [NW] C. Nayak and F. Wilczek, *$2n$ -quasihole states realize 2^{n-1} -dimensional spinor braiding statistics in paired quantum Hall states*, Nucl. Phys. B **479**, 3 (1996), 529–553, [arXiv:cond-mat/9605145](#).
- [NS] S.-H. Ng and P. Schauenburg, *Congruence subgroups and generalized Frobenius-Schur indicators*, [arXiv:0806.2493](#).
- [NC] M. Nielsen and I. Chuang, *Quantum Computation and Quantum Information*, Cambridge University Press, Cambridge, 2000.
- [P] J. Preskill, *Physics 219 Quantum Computing lecture notes*, Chapter 9, <http://www.theory.caltech.edu/~preskill/ph229/>.
- [R1] N. Read, *Non-abelian braid statistics versus projective permutation statistics*, J. Math. Phys. **44** (2003), 558–563, [arXiv:hep-th/0201240](#).
- [R2] N. Read, *Non-abelian adiabatic statistics and Hall viscosity in quantum Hall states and $p_x + ip_y$ paired superfluids*, Phys. Rev. B **79** (2009), 045308, [arXiv:arXiv:0805.2507](#).
- [R3] N. Read, *Conformal invariance of chiral edge theories*, Phys. Rev. B **79** (2009), 245304, [arXiv:0711.0543](#).
- [RG] N. Read and D. Green, *Paired states of fermions in two dimensions with breaking of parity and time-reversal symmetries and the fractional quantum Hall effect*, Phys. Rev. B **61**, 15 (2000), 10267–10297, [arXiv:cond-mat/9906453](#).
- [RR] N. Read and E. Rezayi, *Beyond paired quantum Hall states: Parafermions and incompressible states in the first excited Landau level*, Phys. Rev. B **59**, 12 (1999), 8084–8092, [arXiv:cond-mat/9809384](#).
- [RT] N. Reshetikhin and V. Turaev, *Invariants of 3-manifolds via link polynomials and quantum groups*, Invent. Math. **103**, 3 (1991), 547–597.
- [Ro] E. Rowell, *From quantum groups to unitary modular tensor categories*, Contemp. Math. **413** (2006), 215–230, [arXiv:math.QA/0503226](#).
- [RSW] E. Rowell, R. Stong, and Z. Wang, *On classification of modular tensor categories*, Communications in Mathematical Physics **292**, 2 (2009), 343–389, [arXiv:0712.1377](#).
- [RW] E. Rowell and Z. Wang, in preparation.

- [S] P. Shor, *Algorithms for quantum computation: Discrete logarithms and factoring*, in 35th Annual Symposium on Foundations of Computer Science (Santa Fe, NM, 1994), IEEE Comput. Soc. Press, Los Alamitos, CA, 1994, 124–134.
- [SJ] P. Shor and S. Jordan, *Estimating Jones polynomials is a complete problem for one clean qubit*, Quantum Inf. Comput. **8**, 8–9 (2008), 681–714, [arXiv:0707.2831](#).
- [SRR] S. Simon, E. Rezayi, and N. Regnault, *S3 quantum Hall wavefunctions*, [arXiv:0908.0947](#).
- [TY] D. Tambara and S. Yamagami, *Tensor categories with fusion rules of self-duality for finite abelian groups*, J. Algebra **209**, 2 (1998), 692–707.
- [Tu] V. Turaev, *Quantum Invariants of Knots and 3-Manifolds*, De Gruyter Studies in Mathematics **18**, Walter de Gruyter & Co., Berlin, 1994.
- [TV] V. Turaev and O. Viro, *State sum invariants of 3-manifolds and quantum 6j-symbols*, Topology **31**, 4 (1992), 865–902.
- [V] D. Vertigan, *The computational complexity of Tutte invariants for planar graphs*, SIAM J. Comput. **35**, 3 (2005), 690–712.
- [Wal1] K. Walker, *On Witten's 3-manifold Invariants*, 1991 notes at <http://canyon23.net/math/>.
- [Wal2] K. Walker, *TQFTs*, 2006 notes at <http://canyon23.net/math/>.
- [Wel] D. Welsh, *Complexity: Knots, Colourings and Counting*, London Mathematical Society Lecture Note Series **186**, Cambridge University Press, Cambridge, 1993.
- [Wenz] H. Wenzl, *On sequences of projections*, C. R. Math. Rep. Acad. Sci. Canada **9**, 1 (1987), 5–9.
- [Wen1] X.-G. Wen, *Topological orders in rigid states*, Internat. J. Mod. Phys. B **4**, 2 (1990), 239–271.
- [Wen2] X.-G. Wen, *Non-abelian statistics in the fractional quantum Hall states*, Phys. Rev. Lett. **66**, 6 (1991), 802–805.
- [Wen3] X.-G. Wen, *Mean-field theory of spin-liquid states with finite energy gap and topological orders*, Phys. Rev. B **44**, 6 (1991), 2664–2672.
- [Wen4] X.-G. Wen, *Theory of the edge states in fractional quantum Hall effects*, Internat. J. Mod. Phys. B **6**, 10 (1992), 1711–1762.
- [Wen5] X.-G. Wen, *Topological orders and edge excitations in FQH states*, Advances in Physics **44**, 5 (1995), 405–473, [arXiv:cond-mat/9506066](#).
- [Wen6] X.-G. Wen, *Continuous topological phase transitions between clean quantum Hall states*, Phys. Rev. Lett. **84**, 17 (2000), 3950–3953, [arXiv:cond-mat/9908394](#).
- [Wen7] X.-G. Wen, *Quantum Field Theory of Many-Body Systems*, Oxford University Press, 2004.
- [WW1] X.-G. Wen and Z. Wang, *Classification of symmetric polynomials of infinite variables: Construction of abelian and non-abelian quantum Hall states*, Phys. Rev. B. **77**, 23 (2008), 235108, [arXiv:0801.3291](#).
- [WW2] X.-G. Wen and Z. Wang, *Topological properties of abelian and non-abelian quantum Hall states classified using patterns of zeros*, Phys. Rev. B. **78**, 15 (2008), 155109, [arXiv:0803.1016](#).
- [Wi1] F. Wilczek, *Quantum mechanics of fractional-spin particles*, Phys. Rev. Lett. **49**, 14 (1982), 957–959.
- [Wi2] F. Wilczek, *Fractional Statistics and Anyon Superconductivity*, World Scientific Publishing Co., Inc., Teaneck, NJ, 1990.
- [Witt] E. Witten, *Quantum field theory and the Jones polynomial*, Comm. Math. Phys. **121**, 3 (1989), 351–399.
- [WY] P. Wocjan and J. Yard, *The Jones polynomial: quantum algorithms and applications in quantum complexity theory*, Quantum Inf. Comput. **8**, 1-2 (2008), 147–180, [arXiv:quant-ph/0603069](#).
- [Wu] Y.-S. Wu, *General theory for quantum statistics in two dimensions*, Phys. Rev. Lett. **52**, 24 (1984), 2103–2106.
- [YK] H. Yao and S. Kivelson, *Exact chiral spin liquid with non-abelian anyons*, Phys. Rev. Lett. **99**, 24 (2007), 247203, [arXiv:0708.0040](#).
- [Y1] S. Yamagami, *Polygonal presentations of semisimple tensor categories*, J. Math. Soc. Japan **54**, 1 (2002), 61–68.
- [Y2] S. Yamagami, *Frobenius reciprocity in tensor categories*, Math. Scand. **90**, 1 (2002), 35–56.
- [Y] D. Yetter, *Markov algebras*, in Braids (Santa Cruz, CA, 1986), Contemp. Math. **78**, Amer. Math. Soc., Providence, RI, 1988, 705–730.

Titles in This Series

- 112 **Zhenghan Wang**, Topological quantum computation, 2010
- 111 **Jonathan Rosenberg**, Topology, C^* -algebras, and string duality, 2009
- 110 **David Nualart**, Malliavin calculus and its applications, 2009
- 109 **Robert J. Zimmer and Dave Witte Morris**, Ergodic theory, groups, and geometry, 2008
- 108 **Alexander Koldobsky and Vladyslav Yaskin**, The interface between convex geometry and harmonic analysis, 2008
- 107 **Fan Chung and Linyuan Lu**, Complex graphs and networks, 2006
- 106 **Terence Tao**, Nonlinear dispersive equations: Local and global analysis, 2006
- 105 **Christoph Thiele**, Wave packet analysis, 2006
- 104 **Donald G. Saari**, Collisions, rings, and other Newtonian N -body problems, 2005
- 103 **Iain Raeburn**, Graph algebras, 2005
- 102 **Ken Ono**, The web of modularity: Arithmetic of the coefficients of modular forms and q series, 2004
- 101 **Henri Darmon**, Rational points on modular elliptic curves, 2004
- 100 **Alexander Volberg**, Calderón-Zygmund capacities and operators on nonhomogeneous spaces, 2003
- 99 **Alain Lascoux**, Symmetric functions and combinatorial operators on polynomials, 2003
- 98 **Alexander Varchenko**, Special functions, KZ type equations, and representation theory, 2003
- 97 **Bernd Sturmfels**, Solving systems of polynomial equations, 2002
- 96 **Niky Kamran**, Selected topics in the geometrical study of differential equations, 2002
- 95 **Benjamin Weiss**, Single orbit dynamics, 2000
- 94 **David J. Saltman**, Lectures on division algebras, 1999
- 93 **Goro Shimura**, Euler products and Eisenstein series, 1997
- 92 **Fan R. K. Chung**, Spectral graph theory, 1997
- 91 **J. P. May et al.**, Equivariant homotopy and cohomology theory, dedicated to the memory of Robert J. Piacenza, 1996
- 90 **John Roe**, Index theory, coarse geometry, and topology of manifolds, 1996
- 89 **Clifford Henry Taubes**, Metrics, connections and gluing theorems, 1996
- 88 **Craig Huneke**, Tight closure and its applications, 1996
- 87 **John Erik Fornæss**, Dynamics in several complex variables, 1996
- 86 **Sorin Popa**, Classification of subfactors and their endomorphisms, 1995
- 85 **Michio Jimbo and Tetsuji Miwa**, Algebraic analysis of solvable lattice models, 1994
- 84 **Hugh L. Montgomery**, Ten lectures on the interface between analytic number theory and harmonic analysis, 1994
- 83 **Carlos E. Kenig**, Harmonic analysis techniques for second order elliptic boundary value problems, 1994
- 82 **Susan Montgomery**, Hopf algebras and their actions on rings, 1993
- 81 **Steven G. Krantz**, Geometric analysis and function spaces, 1993
- 80 **Vaughan F. R. Jones**, Subfactors and knots, 1991
- 79 **Michael Frazier, Björn Jawerth, and Guido Weiss**, Littlewood-Paley theory and the study of function spaces, 1991
- 78 **Edward Formanek**, The polynomial identities and variants of $n \times n$ matrices, 1991
- 77 **Michael Christ**, Lectures on singular integral operators, 1990
- 76 **Klaus Schmidt**, Algebraic ideas in ergodic theory, 1990
- 75 **F. Thomas Farrell and L. Edwin Jones**, Classical aspherical manifolds, 1990
- 74 **Lawrence C. Evans**, Weak convergence methods for nonlinear partial differential equations, 1990
- 73 **Walter A. Strauss**, Nonlinear wave equations, 1989

TITLES IN THIS SERIES


- 72 **Peter Orlik**, Introduction to arrangements, 1989
- 71 **Harry Dym**, J contractive matrix functions, reproducing kernel Hilbert spaces and interpolation, 1989
- 70 **Richard F. Gundy**, Some topics in probability and analysis, 1989
- 69 **Frank D. Grosshans, Gian-Carlo Rota, and Joel A. Stein**, Invariant theory and superalgebras, 1987
- 68 **J. William Helton, Joseph A. Ball, Charles R. Johnson, and John N. Palmer**, Operator theory, analytic functions, matrices, and electrical engineering, 1987
- 67 **Harald Upmeyer**, Jordan algebras in analysis, operator theory, and quantum mechanics, 1987
- 66 **G. Andrews**, q -Series: Their development and application in analysis, number theory, combinatorics, physics and computer algebra, 1986
- 65 **Paul H. Rabinowitz**, Minimax methods in critical point theory with applications to differential equations, 1986
- 64 **Donald S. Passman**, Group rings, crossed products and Galois theory, 1986
- 63 **Walter Rudin**, New constructions of functions holomorphic in the unit ball of C^n , 1986
- 62 **Béla Bollobás**, Extremal graph theory with emphasis on probabilistic methods, 1986
- 61 **Mogens Flensted-Jensen**, Analysis on non-Riemannian symmetric spaces, 1986
- 60 **Gilles Pisier**, Factorization of linear operators and geometry of Banach spaces, 1986
- 59 **Roger Howe and Allen Moy**, Harish-Chandra homomorphisms for p -adic groups, 1985
- 58 **H. Blaine Lawson, Jr.**, The theory of gauge fields in four dimensions, 1985
- 57 **Jerry L. Kazdan**, Prescribing the curvature of a Riemannian manifold, 1985
- 56 **Hari Bercovici, Ciprian Foiaş, and Carl Pearcy**, Dual algebras with applications to invariant subspaces and dilation theory, 1985
- 55 **William Arveson**, Ten lectures on operator algebras, 1984
- 54 **William Fulton**, Introduction to intersection theory in algebraic geometry, 1984
- 53 **Wilhelm Klingenberg**, Closed geodesics on Riemannian manifolds, 1983
- 52 **Tsit-Yuen Lam**, Orderings, valuations and quadratic forms, 1983
- 51 **Masamichi Takesaki**, Structure of factors and automorphism groups, 1983
- 50 **James Eells and Luc Lemaire**, Selected topics in harmonic maps, 1983
- 49 **John M. Franks**, Homology and dynamical systems, 1982
- 48 **W. Stephen Wilson**, Brown-Peterson homology: an introduction and sampler, 1982
- 47 **Jack K. Hale**, Topics in dynamic bifurcation theory, 1981
- 46 **Edward G. Effros**, Dimensions and C^* -algebras, 1981
- 45 **Ronald L. Graham**, Rudiments of Ramsey theory, 1981
- 44 **Phillip A. Griffiths**, An introduction to the theory of special divisors on algebraic curves, 1980
- 43 **William Jaco**, Lectures on three-manifold topology, 1980
- 42 **Jean Dieudonné**, Special functions and linear representations of Lie groups, 1980
- 41 **D. J. Newman**, Approximation with rational functions, 1979
- 40 **Jean Mawhin**, Topological degree methods in nonlinear boundary value problems, 1979
- 39 **George Lusztig**, Representations of finite Chevalley groups, 1978
- 38 **Charles Conley**, Isolated invariant sets and the Morse index, 1978
- 37 **Masayoshi Nagata**, Polynomial rings and affine spaces, 1978
- 36 **Carl M. Pearcy**, Some recent developments in operator theory, 1978
- 35 **R. Bowen**, On Axiom A diffeomorphisms, 1978
- 34 **L. Auslander**, Lecture notes on nil-theta functions, 1977

For a complete list of titles in this series, visit the
AMS Bookstore at www.ams.org/bookstore/.

Topological quantum computation is a computational paradigm based on topological phases of matter, which are governed by topological quantum field theories. In this approach, information is stored in the lowest energy states of many-anyon systems and processed by braiding non-abelian anyons. The computational answer is accessed by bringing anyons together and observing the result. Besides its theoretical esthetic appeal, the practical merit of the topological approach lies in its error-minimizing hypothetical hardware: topological phases of matter are fault-avoiding or deaf to most local noises, and unitary gates are implemented with exponential accuracy. Experimental realizations are pursued in systems such as fractional quantum Hall liquids and topological insulators.

This book expands on the author's CBMS lectures on knots and topological quantum computing and is intended as a primer for mathematically inclined graduate students. With an emphasis on introducing basic notions and current research, this book gives the first coherent account of the field, covering a wide range of topics: Temperley-Lieb-Jones theory, the quantum circuit model, ribbon fusion category theory, topological quantum field theory, anyon theory, additive approximation of the Jones polynomial, anyonic quantum computing models, and mathematical models of topological phases of matter.

ISBN 978-0-8218-4930-9



9 780821 849309

CBMS/112



For additional information
and updates on this book, visit

www.ams.org/bookpages/cbms-112

AMS on the Web
www.ams.org