

**Mathematical
Surveys
and
Monographs**

Volume 200

Nonlinear Elliptic Equations and Nonassociative Algebras

**Nikolai Nadirashvili
Vladimir Tkachev
Serge Vlăduț**



American Mathematical Society

**Mathematical
Surveys
and
Monographs**

Volume 200

Nonlinear Elliptic Equations and Nonassociative Algebras

**Nikolai Nadirashvili
Vladimir Tkachev
Serge Vlăduț**



American Mathematical Society
Providence, Rhode Island

EDITORIAL COMMITTEE

Ralph L. Cohen, Chair Benjamin Sudakov
Robert Guralnick Michael I. Weinstein
Michael A. Singer

2010 *Mathematics Subject Classification.* Primary 17Cxx, 17Dxx, 35J60;
Secondary 16H05, 17A35, 49Q05, 53C38.

For additional information and updates on this book, visit
www.ams.org/bookpages/surv-200

Library of Congress Cataloging-in-Publication Data

Nadirashvili, Nikolai, 1955– author.

Nonlinear elliptic equations and nonassociative algebras / Nikolai Nadirashvili, Vladimir Tkachev, Serge Vlăduț.

pages cm. — (Mathematical surveys and monographs ; volume 200)

Includes bibliographical references and index.

1. Jordan algebras. 2. Nonassociative rings. 3. Differential equations, Elliptic. I. Tkachev, Vladimir, 1963– author. II. Vlăduț, S. G. (Serge G.), 1954– author. III. Title.

QA252.5.N33 2014

512'.48—dc23

2014028806

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy select pages for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Permissions to reuse portions of AMS publication content are handled by Copyright Clearance Center's RightsLink® service. For more information, please visit: <http://www.ams.org/rightslink>.

Send requests for translation rights and licensed reprints to reprint-permission@ams.org.

Excluded from these provisions is material for which the author holds copyright. In such cases, requests for permission to reuse or reprint material should be addressed directly to the author(s). Copyright ownership is indicated on the copyright page, or on the lower right-hand corner of the first page of each article within proceedings volumes.

© 2014 by the American Mathematical Society. All rights reserved.

The American Mathematical Society retains all rights
except those granted to the United States Government.

Printed in the United States of America.

∞ The paper used in this book is acid-free and falls within the guidelines
established to ensure permanence and durability.
Visit the AMS home page at <http://www.ams.org/>

Contents

Preface	v
Chapter 1. Nonlinear Elliptic Equations	1
1.1. Elliptic equations	1
1.2. Viscosity solutions	8
1.3. Linear elliptic operators of nondivergence form	11
1.4. Nonlinear equations with smooth solutions	16
1.5. Degenerate elliptic equations	22
1.6. Homogeneous solutions	27
1.7. Liouville type theorems. Removable singularities	38
Chapter 2. Division Algebras, Exceptional Lie Groups, and Calibrations	45
2.1. The Cayley-Dickson construction. Octonions	46
2.2. Clifford algebras and spinor groups	48
2.3. The group G_2 . Trialities	51
2.4. Cross products, associative and coassociative calibrations	53
2.5. Cross products, normed algebras, and Cayley calibrations	58
Chapter 3. Jordan Algebras and the Cartan Isoparametric Cubics	63
3.1. Isoparametric cubics and the eiconal equation	63
3.2. Jordan algebras	67
3.3. The eiconal equation and cubic Jordan algebras	77
Chapter 4. Solutions from Trialities	85
4.1. The simplest nonclassical construction	85
4.2. The octonionic construction	96
4.3. Hessian equations in twelve dimensions	104
4.4. Isaacs equations	114
Chapter 5. Solutions from Isoparametric Forms	117
5.1. The spectrum	117
5.2. Nonclassical and singular solutions	125
5.3. Singular solutions in five dimensions	132
5.4. Other isoparametric forms	143
5.5. Two more applications	150
Chapter 6. Cubic Minimal Cones	155
6.1. Brief overview of the main results	155
6.2. Algebraic minimal hypercones in \mathbb{R}^n and radial eigencubics	159
6.3. Metrized and Freudenthal-Springer algebras	161
6.4. Radial eigencubic algebras	163

6.5. Polar and Clifford REC algebras	169
6.6. The harmonicity of radial eigencubics	176
6.7. The Peirce decomposition of a REC algebra	180
6.8. Triality systems and a hidden Clifford algebra structure	185
6.9. Jordan algebra V_c^\bullet	189
6.10. Reducible REC algebras	194
6.11. Exceptional REC algebras	198
Chapter 7. Singular Solutions in Calibrated Geometries	205
7.1. Calibrated geometries	205
7.2. Singular coassociative 4-folds	209
7.3. Singular solutions of special Lagrangian equations	211
7.4. More singular solutions and a failure of the maximum principle	218
Bibliography	223
Notation	235
Index	239

Preface

The present volume contains some applications of noncommutative and nonassociative algebras to constructing unusual (nonclassical and singular) solutions to fully nonlinear elliptic partial differential equations of second order. Here the solutions are to be understood in a weak (viscosity) sense. Using such algebras to construct exotic or specific analytic and geometric structures is not new. One can mention here, for instance, the constructions of exotic spheres by Milnor [163], of singular solutions to the minimal surface system by Lawson and Osserman [144], the ADHM and construction of instantons by Atiyah, Drinfel'd, Hitchin, and Manin [17], and the construction of singular coassociative manifolds by Harvey and Lawson [103], all four using quaternions, as well as the recent constructions of unusual solutions of the Ginzburg-Landau system by Farina and Ge-Xie [86], [93], using isoparametric polynomials and thus, implicitly, Jordan or Clifford algebras.

However, our applications of quaternions, octonions, and Jordan algebras to elliptic partial differential equations of second order are new; they allow us to solve a longstanding problem of the existence of truly weak viscosity solutions, which are not smooth (= classical) ones. Moreover, in some sense, they give (albeit along with some other arguments) an almost complete description of homogeneous solutions to fully nonlinear elliptic equations. In fact, a major part of the book is devoted to the simplest class of fully nonlinear uniformly elliptic equations, namely those of the form

$$(0.1) \quad F(D^2u) = 0,$$

F being a nonlinear sufficiently smooth functional on symmetric matrices and D^2u being the Hessian of a putative solution u . Those are “constant coefficient” fully nonlinear elliptic equations. Moreover, often we impose a rather drastic condition that F depends only on the eigenvalues of the Hessian (so-called “Hessian equations”). In that case F is a function of only n values of symmetric functions of D^2u rather than of $n(n+1)/2$ partial derivatives, n being the dimension of the ambient space. Our methods show that even in that very restricted setting in five and more dimensions (some of) those equations admit homogeneous δ -order solutions with any $\delta \in]1, 2]$, that is, of all orders compatible with known regularity results by Caffarelli and Trudinger [37], [255] for viscosity solutions of fully nonlinear uniformly elliptic equations, proving the optimality of these regularity results. To the contrary, the situation in four and fewer dimensions is completely different. First of all, in two dimensions the classical result by L. Nirenberg [186] guarantees the regularity of all viscosity solutions, homogeneous or not. In Section 1.6 we prove that in four (and thus three) dimensions there are no homogeneous order 2 solutions to fully nonlinear uniformly elliptic equations, at least in the analytic setting, which suggests strongly that there are no nonclassical homogeneous solutions at

all in four and three dimensions. If so, we get a complete list of dimensions where nonclassical homogeneous solutions to fully nonlinear uniformly elliptic equations do exist. One can compare this with the situation of, say, ten years ago, when the very existence of nonclassical viscosity solutions was not known.

We should repeat once more that this result of fundamental importance for the theory of partial differential equations is obtained by applications of relatively elementary algebraic (and differential geometric) means, thus stressing once more that studying relations between apparently disconnected mathematical areas can often be very fruitful.

Furthermore, there are some cases where (singular) solutions of some classes of nonlinear elliptic equations and some nonassociative algebras are interrelated even more strongly, leading in certain circumstances to the equivalence of those objects. A study of these relations and their applications to classifying both classes of objects is the second theme of the book, intimately related to the previous one.

Our exposition is as follows. Since we hope that our work can be of use to a rather diversified mathematical audience, we devote the first three chapters to the basics of nonlinear elliptic equations and of noncommutative and nonassociative algebraic structures used in our constructions.

In Chapter 1 we recall basic facts about nonlinear elliptic equations and their viscosity solutions. The material in the first five sections is quite traditional in many papers devoted to viscosity solutions. However, in Section 1.2 we also formulate two recent results on partial regularity of solutions, in Section 1.3 we expose a recent result concerning the difference of viscosity solutions, and in Section 1.4 we give a recent result on the regularity of solutions to axially symmetric Dirichlet problems for Hessian equations. Section 1.6 is devoted to recent results and conjectures for homogeneous solutions to fully nonlinear uniformly elliptic equations. Section 1.7 gives some Liouville type results and various results on removable singularities for solutions of fully nonlinear elliptic equations, including a recent result describing viscosity solutions of a uniformly elliptic Hessian equation in a punctured ball.

Chapter 2 is devoted to the construction and elementary properties of the real division algebras \mathbb{H}, \mathbb{O} , Clifford algebras, spinor groups, and some exceptional Lee groups, especially G_2 . We also discuss cross products in the algebra \mathbb{O} and the resulting calibrations (in their algebraic form).

In Chapter 3 we give an overview of Jordan algebras in their relation to special cubics and some partial differential equations (of first order). Most of its material is classical, but some new facts concerning relations between cubic Jordan algebras and the so-called eiconal differential equation, $|\nabla f(x)|^2 = c|x|^4$, are proven.

In Chapters 4 and 5 we give our main constructions of nonclassical and singular solutions to fully nonlinear, uniformly elliptic equations, often of Hessian or of Isaacs type. In fact, all our nonclassical solutions are of the form $P(x)/|x|^\alpha$ with a homogeneous polynomial $P(x)$, $x \in \mathbb{R}^n$, of degree 3, 4, or 6 and a suitable α . Chapter 4 contains the constructions based on trialities, which use real division algebras: quaternions and octonions; there $n = 12$ or 24 , $\deg P = 3$, $\alpha \in [1, 2]$. Chapter 5 gives constructions based on isoparametric polynomials $P(x)$, $x \in \mathbb{R}^n$, $n \geq 5$, of degrees 3, 4, or 6 coming from Jordan and Clifford algebras. The constructions of Chapter 4 are more elementary in that they use less of algebraic theory but need more calculations than those of Chapter 5. The arguments in these chapters are based on several closely related criteria for solutions of fully nonlinear uniformly

elliptic equations in terms of appropriate combinations of the spectrum for their Hessians. Those conditions are extremely restrictive and one needs rather elaborated arguments and/or calculations to verify them, which is obtained partially by using MAPLE calculations. One notes, however, that the calculations in Chapters 4 and 5 (and in Chapter 7) which use MAPLE extensively are completely rigorous since there MAPLE is used to verify algebraic identities, albeit rather cumbersome ones.

Chapter 6 is devoted to a classification of cubic minimal cones, that is, the simplest nontrivial solutions to the minimal surface system which is (almost) complete under a natural additional condition (the case of radial eigencubics). The main method there is to construct a certain nonassociative algebra from a given minimal cubic cone in such a way that the differential-analytical structure of the cones becomes transparent from the algebraic side, and vice versa. The main tool for this is the so-called Freudenthal multiplication. It associates to any fixed cubic form u on a vector space V carrying a symmetric nondegenerate bilinear form Q the multiplication $(x, y) \rightarrow xy$ by setting $\partial_x \partial_y u|_z = Q(xy; z)$. The algebra $V(u)$ defined in this way is called the Freudenthal-Springer algebra of the cubic form u . In the basic case of a radial eigencubic the corresponding Freudenthal-Springer algebra leads to a so-called radial eigencubic algebra, or just a *REC algebra*. Thus, the classification of radial eigencubics becomes equivalent to that of REC algebras. There exist two principal classes of REC algebras, namely those coming from Clifford and Jordan structures, respectively. Applying standard methods of nonassociative algebra such as Pierce decomposition and a thorough study of certain defining relations in REC algebras, one eventually gets their complete classification. Note, however, that the algebraic techniques of this chapter are elaborated more than in the other chapters and assume more advanced knowledge of the nonassociative algebraic systems.

In Chapter 7 we treat elliptic equations arising in calibrated geometry [103], namely, the special Lagrangian, associative, coassociative, and Cayley equations; they are not uniformly, but only strictly, elliptic, and we recall briefly their constructions in Section 7.1. One notes, however, that the construction of singular coassociative 4-folds given by Harvey and Lawson in [103] and recalled in Section 7.2 resembles strongly the constructions in Chapter 4. It would be very interesting to understand a possible common ground of constructions in Chapters 4 and 7 (and, presumably, in Chapters 5 and 6) and eventually find some other situations where it works. Sections 7.3 and 7.4 are devoted to constructions of some singular solutions to the special Lagrangian equations (SLE) in the nonconvex case, in three dimensions. Note that in the convex (or concave) case those solutions are smooth in any dimension by [48] and that in two dimensions these equations cannot be nonconvex. These constructions also lead to examples of a failure of the maximum principle for the Hessian of solutions to a uniformly elliptic equation in three and more dimensions as well as to examples of solutions to the minimal surface system with a notably low regularity.

Acknowledgements. We would like to thank Luis Caffarelli, Charles Smart, and Yu Yuan for their interest in and very fruitful discussions of the subject of this book. We also thank the anonymous reviewers for their pertinent remarks allowing us to improve the exposition. We would also like to thank A. Rüland for her thorough reading of the manuscript, leading to many improvements of the text.

Bibliography

- [1] U. Abresch, *Isoparametric hypersurfaces with four or six distinct principal curvatures. Necessary conditions on the multiplicities*, Math. Ann. **264** (1983), 283–302. MR714104 (85g:53052b).
- [2] J. F. Adams, *Lectures on exceptional Lie groups*, Univ. Chicago Press, Chicago, 1996. MR1428422 (98b:22001).
- [3] G. M. Adel'son-Vel'skii, *Generalization of a geometrical Bernstein theorem*, Dokl. Akad. Nauk SSSR **49**(1945), 309–401.
- [4] M. A. Akivis and V. V. Goldberg *Differential geometry of varieties with degenerate Gauss maps*, Springer, 2004. MR2014407.
- [5] A. A. Albert, *On a certain algebra of quantum mechanics*, Ann. of Math. **35** (1934), 65–73. MR1503142.
- [6] A. D. Alexandroff, *Sur les théorèmes d'unicité pour les surfaces fermées*, Dokl. Acad. Nauk **22** (1939), 99–102.
- [7] A. D. Alexandrov, *Some theorems on partial differential equations of the second order*, Vest. Len. Univ. **9** (1954), 3–17.
- [8] A. D. Alexandrov, *A characteristic property of sphere*, Ann. Mat. Pura Appl. **58** (1962), 303–315. MR0143162 (26 ¶ 722).
- [9] A. D. Alexandrov, *Uniqueness conditions and estimates for the solutions of the Dirichlet problem*, Amer. Math. Soc. Trans. **68** (1968), 89–119.
- [10] B. N. Allison and J. R. Faulkner, *A Cayley-Dickson process for a class of structurable algebras*, Trans. Amer. Math. Soc. **283** (1984), 185–210. MR0735416.
- [11] F. J. Almgren, Jr., *Some interior regularity theorems for minimal surfaces and an extension of Bernstein's theorem*, Ann. of Math. (2) **84** (1966), 277–292. MR0200816 (34 ¶ 702).
- [12] S. N. Armstrong, L. Silvestre, and C. K. Smart, *Partial regularity of solutions of fully nonlinear uniformly elliptic equations*, Comm. Pure Appl. Math. **65** (2012), 1169–1184. MR2928094.
- [13] S. N. Armstrong, B. Sirakov, and C. K. Smart, *Fundamental solutions of homogeneous fully nonlinear elliptic equations*, Comm. Pure Appl. Math. **64** (2011), 737–777. MR2663711.
- [14] S. N. Armstrong, B. Sirakov, and C. K. Smart, *Singular solutions of fully nonlinear elliptic equations and applications*, Arch. Ration. Mech. Anal. **205** (2012), 345–394. MR2947535.
- [15] M. F. Atiyah and J. Berndt, *Projective planes, Severi varieties and spheres*, Surv. Diff. Geom., VIII, Int. Press, Somerville, MA, 2003, pp. 1–27. MR2039984 (2005b:53080).
- [16] M. F. Atiyah, R. Bott, and A. Shapiro, *Clifford modules*, Topology **3** (1964), 3–38. MR0167985 (29:5250).
- [17] M. Atiyah, V. G. Drinfel'd, N. J. Hitchin, and Yu. I. Manin, *Construction of Instantons*, Phys. Lett. A **65** (1978), 185–187. MR0598562 (82g:81049).
- [18] T. Aubin, *Équations du type Monge-Ampère sur les variétés kähleriennes compactes*. C. R. Acad. Sci. Paris Sér. A-B **283** (1976), A119–A121. MR0433520 (55 ¶ 6496).
- [19] J. C. Baez, *The octonions*, Bull. Amer. Math. Soc. (N.S.) **39** (2002), 145–205. MR1886087 (2003f:17003).
- [20] P. Baird and J. C. Wood, *Harmonic morphisms between Riemannian manifolds*, London Math. Soc. Mon., 29, Oxford Univ. Press, Oxford, 2003. MR2044031 (2005b:53101).
- [21] J. Ball, *Convexity conditions and existence theorems in nonlinear elasticity*, Arch. Rat. Mech. Anal. **63** (1977), 337–403. MR0475169 (57 ¶ 14788).
- [22] J. Bao, J. Chen, B. Guan, and M. Ji, *Liouville property and regularity of a Hessian quotient equation*, Amer. J. Math. **125** (2003), 301–316. MR1963687 (2004b:35079).

- [23] P. Bauman, *Positive solutions of elliptic equations in non-divergence form and their adjoints*, Ark. Mat. **22** (1984), 153–173. MR0765409 (86m:35008).
- [24] A. Belousov, L. Doskolovich, and S. Kharitonov, *A gradient method of designing optical elements for forming a specified irradiance on a curved surface*, J. Optic. Tech. **75** (2008), 161–165.
- [25] S. Bernstein, *Über ein geometrisches Theorem und seine Anwendung auf die partiellen Differentialgleichungen vom elliptischen Typus*, Math. Z. **26** (1927), 551–558. MR1544873.
- [26] J. Bolton, *Transnormal hypersurfaces*, Proc. Cambridge Phil. Soc. **74** (1973), 43–48. MR0328827 (48:7169).
- [27] E. Bombieri and E. Giusti, *Harnack's inequality for elliptic differential equations on minimal surfaces*, Invent. Math. **15** (1972), 24–46. MR0308945 (46:8057).
- [28] E. Bombieri, E. De Giorgi, and E. Giusti, *Minimal cones and the Bernstein problem*, Invent. Math. **7** (1969), 243–268. MR0250205 (40:3445).
- [29] M. Bordemann, *Nondegenerate invariant bilinear forms on nonassociative algebras*, Acta Math. Univ. Comenian. (N.S.) **66** (1997), 151–201. MR1620480 (99k:17005).
- [30] A. A. Borisenko, *A Liouville-type theorem for the equation of special Lagrangian manifolds*, Math. Notes **52** (1992), 1094–1096. MR1201944 (93k:53055).
- [31] S. Brendle, *Embedded minimal tori in S^3 and the Lawson conjecture*, Acta Math. **211** (2013), 177–190. MR3143888.
- [32] Y. Brenier, *Polar factorization and monotone rearrangement of vector-valued functions*, Comm. Pure Appl. Math. **44** (1991), 375–417. MR1100809 (92d:46088).
- [33] H. Brézis, *Symmetry in nonlinear PDE's*, Proc. Symp. Pure Math. **65** (1999), 1–12. MR1662746 (99k:35044).
- [34] H. Brézis, F. Merle, and T. Rivière, *Quantization effects for $-\Delta u = u(1 - |u|^2)$ in \mathbb{R}^2* , Arch. Rat. Mech. Anal. **126** (1994), 123–148. MR1268048 (95d:35042).
- [35] R. L. Bryant, *Second order families of special Lagrangian 3-folds*, Perspectives in Riemannian Geometry, CRM Proc. Lecture Notes **40** (2006), 63–98. MR2237106 (2007e:53063).
- [36] X. Cabré, *Elliptic PDEs in Probability and Geometry. Symmetry and regularity of solutions*, Discr. Cont. Dyn. Syst. **20** (2008), 425–457. MR2373200 (2008m:35094).
- [37] L. Caffarelli, *Interior regularity for fully nonlinear equations*, Ann. Math. **130** (1989), 189–213. MR1005611 (90i:35046).
- [38] L. Caffarelli, *A localization property of viscosity solutions to the Monge-Ampère equation and their strict convexity*, Ann. of Math. **131** (1990), 129–134. MR1038359 (91f:35058).
- [39] L. Caffarelli, *Interior $W^{2,p}$ estimates for solutions of the Monge-Ampère equation*, Ann. of Math. **131** (1990), 135–150. MR1038360 (91f:35059).
- [40] L. Caffarelli, *Some regularity properties of solutions of Monge Ampère equation*, Comm. Pure Appl. Math. **44** (1991), 965–969. MR1127042 (92h:35088).
- [41] L. Caffarelli, *A note on the degeneracy of convex solutions to Monge Ampère equation*, Comm. Part. Diff. Eq. **18** (1993), 1213–1217. MR1233191 (94f:35045).
- [42] L. Caffarelli and X. Cabré, *Fully Nonlinear Elliptic Equations*, Amer. Math. Soc., Providence, R.I., 1995. MR1351007 (96h:35046).
- [43] L. Caffarelli and X. Cabré, *Interior $C^{2,\alpha}$ regularity theory for a class of nonconvex fully nonlinear elliptic equations*, J. Math. Pures Appl. **82** (2003), 573–612. MR1995493 (2004f:35049).
- [44] L. Caffarelli, Y. Y. Li, and L. Nirenberg, *Some remarks on singular solutions of nonlinear elliptic equations I*, J. Fixed P. Th. Appl. **5** (2009), 353–395. MR2529505 (2010i:35089).
- [45] L. Caffarelli, Y. Y. Li, and L. Nirenberg, *Some remarks on singular solutions of nonlinear elliptic equations III: viscosity solutions including parabolic operators*, Comm. Pure Appl. Math. **66** (2013), 109–143. MR2994551.
- [46] L. Caffarelli, J. J. Kohn, L. Nirenberg, and J. Spruck, *The Dirichlet problem for nonlinear second-order elliptic equations II. Complex Monge-Ampère, and uniformly elliptic, equations*, Comm. Pure Appl. Math. **38** (1985), 209–252. MR0739925 (87f:35096).
- [47] L. Caffarelli, L. Nirenberg, and J. Spruck, *The Dirichlet problem for nonlinear second-order elliptic equations I. Monge-Ampère equation*, Comm. Pure Appl. Math. **37** (1984), 369–402. MR0780073 (87f:35097).
- [48] L. Caffarelli, L. Nirenberg, and J. Spruck, *The Dirichlet problem for nonlinear second order elliptic equations III. Functions of the eigenvalues of the Hessian*, Acta Math. **155** (1985), 261–301. MR0806416 (87f:35098).

- [49] L. Caffarelli and L. Silvestre, *On the Evans-Krylov theorem*, Proc. Amer. Math. Soc. **138** (2010), 263–265. MR2550191 (2011g:35106).
- [50] L. Caffarelli and Y. Yuan, *A priori estimates for solutions of fully nonlinear equations with convex level set*, Indiana Univ. Math. J. **49** (2000), no. 2, 681–695. MR1793687 (2002b:35049).
- [51] E. Calabi, *Improper affine hyperspheres of convex type and a generalization of a theorem by K. Jörgens*, Michigan Math. J. **5** (1958), 105–126. MR0106487 (21:5219).
- [52] E. Calabi, *Examples of Bernstein problems for some nonlinear equations*, Global Analysis (Proc. Sympos. Pure Math., Vol. XV, Berkeley, Calif., 1968), Amer. Math. Soc., Providence, R.I., 1970, pp. 223–230. MR0264210 (41:8806).
- [53] M. do Carmo and H. B. Lawson Jr., *On Alexandrov-Bernstein theorems in hyperbolic space*, Duke Math. J. **50** (1983), 995–1003. MR0726314 (85f:53009).
- [54] E. Cartan, *Familles de surfaces isoparamétriques dans les espaces à courbure constante*, Ann. Mat. Pura Appl. **17** (1938), 177–191. MR1553310.
- [55] E. Cartan, *Sur des familles remarquables d'hypersurfaces isoparamétriques dans les espaces sphériques*, Math. Z. **45** (1939), 335–367. MR0000169.
- [56] E. Cartan, *Sur des familles d'hypersurfaces isoparamétriques des espaces sphériques à 5 et à 9 dimensions*, Univ. Nac. Tucumán. Revista A. **1** (1940), 5–22. MR0004519 (3,18g).
- [57] Th. E. Cecil, *Isoparametric and Dupin hypersurfaces*, SIGMA Symmetry Integrability Geom. Methods Appl. **4** (2008), Paper 062, 28. MR2434936 (2009i:53044).
- [58] T. E. Cecil, *Lie sphere geometry*, Springer, New York, 2008. MR2361414 (2008h:53091).
- [59] T. E. Cecil, Q.-S. Chi, and G. R. Jensen, *Isoparametric hypersurfaces with four principal curvatures*, Ann. Math. **166** (2007), 1–76. MR2342690 (2008m:53150).
- [60] S.-Y. A. Chang and Y. Yuan, *A Liouville problem for the σ_2 equation*, Discr. Cont. Dyn. Syst **28** (2010), 659–664. MR2644763 (2012d:35089).
- [61] B.-Y. Chen, *Riemannian submanifolds*, Handbook of differential geometry, Vol. I, North-Holland, Amsterdam, 2000, 187–418. MR1736854 (2001b:53064).
- [62] J. Chen, M. Warren, and Y. Yuan, *A priori estimate for convex solutions to special Lagrangian equations and its application*, Comm. Pure Appl. Math. **62** (2009), 583–595. MR2492708 (2010b:35116).
- [63] S. Y. Cheng and S.-T. Yau, *Complete affine hypersurfaces. I. The completeness of affine metrics*, Comm. Pure Appl. Math. **39** (1986), 839–866. MR0859275 (87k:53127).
- [64] S.-S. Chern, *On the curvature of a piece of hypersurface in Euclidean space*, Abh. Math. Sem. Univ. Hamburg **29** (1965), 77–99. MR0188949 (32 \# 6376).
- [65] S.-S. Chern and R. Lashof, *On the total curvature of immersed manifolds*, Amer. J. Math. **79** (1957), 306–318. MR0084811 (18,927a).
- [66] Q.-S. Chi, *Isoparametric hypersurfaces with four principal curvatures, II*, Nagoya Math. J. **204** (2011), 1–18. MR2863363.
- [67] Q.-S. Chi, *Isoparametric hypersurfaces with four principal curvatures, III*, J. Diff. Geom. **94** (2013), 469–504. MR3080489.
- [68] T. H. Colding and W. P. Minicozzi, II, *A course in minimal surfaces*, Amer. Math. Soc., Providence, RI, 2011. MR2780140.
- [69] R. Courant and D. Hilbert, *Methods of Mathematical Physics. Vol. 2, Partial Differential Equations*, Wiley, N.Y., 1989. MR1013360 (90k:35001).
- [70] M. G. Crandall, L. C. Evans, and P-L. Lions, *Some properties of viscosity solutions of Hamilton-Jacobi equations*, Trans. Amer. Math. Soc. **282** (1984), 487–502. MR0732102 (86a:35031).
- [71] M. G. Crandall, H. Ishii, and P-L. Lions, *User's guide to viscosity solutions of second order partial differential equations*, Bull. Amer. Math. Soc. (N.S.) **27** (1992), 1–67. MR1118699 (92j:35050).
- [72] M. G. Crandall and P-L. Lions, *Viscosity solutions of Hamilton-Jacobi equations*, Trans. Amer. Math. Soc. **277** (1983), 1–42. MR0690039 (85g:35029).
- [73] E. De Giorgi, *Una estensione del teorema di Bernstein*, Ann. Sc. Norm. Sup. Pisa (3) **19** (1965), 79–85. MR0178385 (31:2643).
- [74] R. De Sapio, *On Spin(8) and Triality: A Topological Approach*, Expo. Math. **19** (2001), 143–161. MR1835965 (2002g:22025a).
- [75] S. K. Donaldson, *Nahm's equations and free-boundary problems*, The many facets of geometry, Oxford Univ. Press, Oxford, 2010, 71–91. MR2681687 (2011h:58023).

- [76] J. Dorfmeister, *Theta functions for special, formally real Jordan algebras, a remark on a paper of H. L. Resnikoff: “Theta functions for Jordan algebras”* (*Invent. Math.* **31** (1975), 87–104), *Invent. Math.* **44** (1978), 103–108. MR0486675 (58:6378).
- [77] J. Dorfmeister and E. Neher, *An algebraic approach to isoparametric hypersurfaces in spheres, I*, *Tohoku Math. J.* (2) **35** (1983), 187–224. MR0699927 (84k:53049).
- [78] J. Douglas, *The higher topological form of Plateau’s problem*, *Ann. Sc. Norm. Super. Pisa* (2) **8** (1939), 195–218. MR0002477 (2,60e).
- [79] D. Eisenbud and H. Levin, *An algebraic formula for the degree of a C^∞ map germ*, *Ann. Math.* **106** (1977), 19–44. MR0467800 (57:7651).
- [80] A. Elduque, *Vector cross products*, 7 pp., available at <http://www.unizar.es/matematicas/algebra/elduque/Talks/crossproducts.pdf>.
- [81] A. Elduque and S. Okubo, *On algebras satisfying $x^2x^2 = N(x)x$* , *Math. Z.* **235** (2000), 275–314. MR1795509 (2001h:17003).
- [82] P. Etingof, D. Kazhdan, and A. Polishchuk, *When is the Fourier transform of an elementary function elementary?* *Selecta Math. (N.S.)* **8** (2002), 27–66. MR1890194 (2003g:42008).
- [83] L. C. Evans, *Classical solutions of fully nonlinear, convex, second-order elliptic equations*, *Comm. Pure Appl. Math.* **35** (1982), 333–363. MR0649348 (83g:35038).
- [84] L. C. Evans, *Partial Differential Equations, 2nd edition*, Amer. Math. Soc., Providence, RI, 2010. MR2597943 (2011c:35002).
- [85] J. Faraut and A. Korányi, *Analysis on symmetric cones*, Oxford Mathematical Monographs, The Clarendon Press, Oxford University Press, New York, 1994. MR1446489 (98g:17031).
- [86] A. Farina, *Two results on entire solutions of Ginzburg-Landau system in higher dimensions*, *J. Funct. Anal.* **214** (2004), 386–395. MR2083306 (2005g:35093).
- [87] D. Ferus, *Notes on isoparametric hypersurfaces*, preprint, Escola de Geometria Diferencial, Universidade Estadual de Campinas, 1980.
- [88] D. Ferus, H. Karcher, and H. F. Münzner, *Cliffordalgebren und neue isoparametrische Hyperflächen*, *Math. Z.* **177** (1981), 479–502. MR624227 (83k:53075).
- [89] W. H. Fleming, *Flat chains over a finite coefficient group*, *Trans. Amer. Math. Soc.* **121** (1966), 160–186. MR0063358 (16,108b).
- [90] A. T. Fomenko, *Variational principles of topology*, Mathematics and its Applications (Soviet Series) 42, Kluwer Academic Publishers Group, Dordrecht, 1990. MR1057340 (91k:58020).
- [91] H. Freudenthal, *Beziehungen der E_7 und E_8 zur Oktavenebene. I*, *Nederl. Akad. Wetensch. Proc. Ser. A.* **57** (1954), 218–230 = *Indag. Math.* **16** (1954), 218–230. MR0063358 (16,108b).
- [92] H. Freudenthal, *Beziehungen der E_7 und E_8 zur Oktavenebene. II*, *Nederl. Akad. Wetensch. Proc. Ser. A.* **57** (1954), 363–368 = *Indag. Math.* **16** (1954), 363–368. MR0068549 (16,900d).
- [93] J. Ge and Y. Xie, *Gradient map of isoparametric polynomial and its application to Ginzburg-Landau system*, *J. Funct. Anal.* **258** (2010), 1682–1691. MR2566315 (2011d:53140).
- [94] D. Gilbarg and N. Trudinger, *Elliptic Partial Differential Equations of Second Order, 2nd ed.*, Springer-Verlag, Berlin-Heidelberg-New York-Tokyo, 1983. MR0737190 (86c:35035).
- [95] M. Godlinski and P. Nurowski, *$GL(2, \mathbb{R})$ geometry of ODE’s*, *J. Geom. Phys.* **60** (2010), 991–1027. MR2647299 (2011e:53027).
- [96] R. Goodman and N. R. Wallach, *Representations and invariants of the classical groups*, Encyclopedia of Mathematics and its Applications, 68, Cambridge Univ. Press, Cambridge, 1998. MR1606831 (99b:20073).
- [97] P. Guan, N. S. Trudinger, and X.-J. Wang, *On the Dirichlet problem for degenerate Monge-Ampère equations*, *Acta Math.* **182** (1999), 87–104. MR1687172 (2000h:35051).
- [98] M. Günaydin and O. Pavlyk, *Generalized spacetimes defined by cubic forms and the minimal unitary realizations of their quasiconformal groups*, *J. High Energy Phys.* **101** (2005), 31 pp. (electronic). MR2166016 (2006g:81075).
- [99] M. Günaydin, G. Sierra, and P. K. Townsend, *The geometry of $N = 2$ Maxwell-Einstein supergravity and Jordan algebras*, *Nuclear Phys. B* **242** (1984), 244–268. MR756588 (86j:83059a).
- [100] J. Hahn, *Isoparametric hypersurfaces in the pseudo-Riemannian space forms*, *Math. Z.* **187** (1984), 195–208. MR0753432 (87a:53094).
- [101] P. Hartman and L. Nirenberg, *On spherical image whose Jacobians do not change sign*, *Amer. J. Math.* **81** (1959), 901–920. MR0126812 (23:A4106).

- [102] Q. Han, N. Nadirashvili, and Y. Yuan, *Linearity of homogeneous order-one solutions to elliptic equations in dimension three*, Comm. Pure Appl. Math. **56** (2003), 425–432. MR1949137 (2003k:35043).
- [103] R. Harvey and H. B. Lawson, Jr., *Calibrated geometries*, Acta Math. **148** (1982), 47–157. MR666108 (85i:53058).
- [104] F. R. Harvey and H. B. Lawson, Jr., *Dirichlet duality and the nonlinear Dirichlet problem*, Comm. Pure Appl. Math. **62** (2009), 396–443. MR2487853 (2010d:35097).
- [105] M. Haskins *Special Lagrangian cones*, Amer. J. Math. **126** (2004), 845–871. MR2075484 (2005e:53074).
- [106] H. He, H. Ma, and F. Xu, *On eigenmaps between spheres*, Bull. London Math. Soc. **35** (2003), 344–354. MR1960944 (2003m:53109).
- [107] H. Hironaka, *Normal cones in analytic Whitney stratification*, Publ. Inst. Hautes Études Sci. **36** (1969), 127–139. MR0277759 (43:3492).
- [108] R. A. Horn and C. R. Johnson, *Matrix analysis*, Camb. Univ. Press, Cambridge, 1985. MR0832183 (87e:15001).
- [109] W. Hsiang, *On the compact homogeneous minimal submanifolds*, Proc. Nat. Acad. Sci. U.S.A. **56** (1966), 5–6. MR0205203 (34:5037).
- [110] W. Hsiang, *Remarks on closed minimal submanifolds in the standard Riemannian m -sphere*, J. Differential Geometry **1** (1967), 257–267. MR0225244 (37:838).
- [111] W. Hsiang and H. B. Lawson, Jr., *Minimal submanifolds of low cohomogeneity*, J. Diff. Geom. **5** (1971), 1–38. MR0298593 (45:7645).
- [112] A. Hurwitz, *Über die Komposition der quadratischen Formen*, Math. Ann. **88** (1922), 1–25. MR1512117.
- [113] D. Husemoller, *Fibre bundles*, Graduate Texts in Mathematics, 20, Springer-Verlag, N.Y., 1994. MR1249482 (94k:55001).
- [114] R. Immervoll, *On the classification of isoparametric hypersurfaces with four distinct principal curvatures in spheres*, Ann. of Math. **168** (2008), 1011–1024. MR2456889 (2010b:53110).
- [115] R. Iordanescu, *Jordan structures in analysis, geometry and physics*, Editura Academiei Române, Bucharest, 2009. MR2515186 (2010e:17026). Also arXiv:1106.4415, 2011.
- [116] H. Ishii, *On uniqueness and existence of viscosity solutions of fully nonlinear second-order elliptic PDEs*, Comm. Pure Appl. Math. **42** (1989), 15–45. MR0973743 (89m:35070).
- [117] A. O. Ivanov, *Calibration forms and new examples of globally minimal surfaces*, in: *Minimal surfaces*, Amer. Math. Soc., Providence, RI, 1993, pp. 235–267. MR1233576 (94g:58045).
- [118] N. M. Ivochkina, *A priori estimate of $|u|_{C_2(\bar{\Omega})}$ of convex solutions of the Dirichlet problem for the Monge-Ampère equation* (Russian), Zap. Nauchn. Sem. Len. Otdel. Mat. Inst. Steklov. (LOMI) **96** (1980), 69–79. MR0579472 (82b:35056).
- [119] N. Jacobson, *Some groups of transformations defined by Jordan algebras. I*, J. Reine Angew. Math. **201** (1959), 178–195. MR0106936.
- [120] N. Jacobson, *Generic norm of an algebra*, Osaka Math. J. **15** (1963), 25–50. MR0153719.
- [121] N. Jacobson, *Structure and representations of Jordan algebras*, Amer. Math. Soc. Colloquium Publ., Vol. XXXIX, Amer. Math. Soc., Providence, R.I., 1968. MR0251099 (40:4330).
- [122] R. Jensen, *The maximum principle for viscosity solutions of fully nonlinear second order partial differential equations*, Arch. Rat. Mech. An. **101** (1988), 1–27. MR0920674 (89a:35038).
- [123] P. Jordan, *Über Verallgemeinerungsmöglichkeiten des Formalismus der Quantenmechanik*, Nachr. Akad. Wiss. Göttingen. Math. Phys. **41** (1933), 209–217.
- [124] P. Jordan, J. von Neumann, and E. Wigner, *On an algebraic generalization of the quantum mechanical formalism*, Ann. Math. **35** (1934), 29–64. MR1503141.
- [125] K. Jörgens, *Über die Lösungen der Differentialgleichung $rt-s^2=1$* , Math. Ann. **127** (1954), 130–134. MR0062326 (15,961e).
- [126] J. Jost and Y.-L. Xin, *A Bernstein theorem for special Lagrangian graphs*, Calc. Var. Part. Diff. Eq. **15** (2002), 299–312. MR1938816 (2003i:53075).
- [127] D. Joyce, *Special Lagrangian Submanifolds with Isolated Conical Singularities. V. Survey and Applications*, J. Diff. Geom. **63** (2003), 279–347. MR2015549 (2005e:53076).
- [128] M.-A. Knus, A. Merkurjev, M. Rost, and J.-P. Tignol, *The book of involutions*, Amer. Math. Soc., Providence, RI, 1998. MR1632779 (2000a:16031).
- [129] S. Kobayashi and K. Nomizu, *Foundations of differential geometry. Vol. II*, Wiley, N. Y., 1996. MR1393941 (97c:53001b).

- [130] M. Koecher, *The Minnesota notes on Jordan algebras and their applications*, Lect. Notes Mat. **1710**, Springer-Verlag, Berlin, 1999. MR1718170 (2001e:17040).
- [131] D. Koutroufiotis, *On a conjectured characterization of the sphere*, Math. Ann. **205** (1973), 211–217. MR0348684 (50:1181).
- [132] S. Krutelevich, *Jordan algebras, exceptional groups, and Bhargava composition*, J. Algebra **314** (2007), 924–977. MRS2344592 (2008k:20103).
- [133] N. V. Krylov, *Nonlinear elliptic and parabolic equations of the second order*, Reidel, Dordrecht, 1987. MR0901759 (88d:35005).
- [134] N. V. Krylov, *On the General Notion of Fully Nonlinear Second-Order Elliptic Equations*, Trans. Amer. Math. Soc. **347** (1995), 857–895. MR1284912 (95f:35075).
- [135] N. V. Krylov, *On weak uniqueness for some diffusions with discontinuous coefficients*, Stoch. Proc. Appl. **113** (2004), 37–64. MR2078536 (2005e:60119).
- [136] N. V. Krylov, *Smoothness of the payoff function for a controllable diffusion process in a domain* (Russian), Izv. Akad. Nauk SSSR Ser. Mat. **53** (1989), 66–96; translation in Math. USSR-Izv. **34** (1990), 65–95. MR0992979 (90f:93040).
- [137] N. V. Krylov and M. V. Safonov, *A property of solutions of parabolic equations with measurable coefficients*, Izv. Akad. Nauk SSSR Ser. Mat. **44** (1980), 161–175. MR0563790 (83c:35059).
- [138] D. A. Labutin, *Isolated singularities for fully nonlinear elliptic equations*, J. Diff. Eq. **177** (2001), 49–76. MR1867613 (2003a:35065).
- [139] D. A. Labutin, *Potential estimates for a class of fully nonlinear elliptic equations*, Duke Math. J. **111** (2002), 1–49. MR1876440 (2002m:35053).
- [140] E. M. Landis, *Second order equations of elliptic and parabolic type*, Amer. Math. Soc., 1998. MR1487894 (98k:35034).
- [141] R. Langevin, G. Levitt, and H. Rosenberg, *Hérissons et multihérissons, (enveloppes paramétrées par leur application de Gauss)*, Singularities, Warsaw, 1985, Banach Center Publ. 20, PWN, Warsaw, 1988, 245–253. MR1101843 (92a:58015).
- [142] H. B. Lawson, Jr., *Complete minimal surfaces in S^3* , Ann. Math. **92** (1970), 335–374. MR0270280 (42:5170).
- [143] H. B. Lawson, Jr., *Lectures on minimal submanifolds. Vol. I*, Publish or Perish, Wilmington, Del., 1980. MR0576752 (82d:53035b).
- [144] H. B. Lawson and R. Osserman, *Non-existence, non-uniqueness and irregularity of solutions to the minimal surface system*, Acta Math. **139** (1977), 1–17. MR0452745 (80b:35059).
- [145] P. Lévay and P. Vrana, *Special entangled quantum systems and the Freudenthal construction*, J. Phys. A **42** (2009), 285–303. MR2519736 (2010i:81097).
- [146] T. Levi-Civita, *Famiglie di superficie isoparametriche nel'ordinario spazio euclideo*, Atti. Accad. naz. Lincei. Rend. Cl. Sci. Sci. Fis. Mat. Natur **26** (1937), 350–362.
- [147] J. L. Lewis, *Smoothness of certain degenerate elliptic equations*, Proc. Amer. Math. Soc. **80** (1980), 259–265. MR577755 (82a:35047).
- [148] H. Lewy, *A priori limitations for solutions of Monge-Ampère equations. II*. Trans. Amer. Math. Soc. **41** (1937), 365–374. MR1501906.
- [149] B. Q. Li, *Entire solutions of eiconal [eikonal] type equations*, Arch. Math. **89** (2007), 350–357. MR2355154 (2008h:32058).
- [150] T. Liu, *Algebraic minimal submanifolds in the spheres*, J. of Beijing Teacher College **10** (1989), 10–17.
- [151] C. Loewner and L. Nirenberg, *Partial differential equations invariant under conformal or projective transformations. Contributions to analysis (a collection of papers dedicated to Lipman Bers)*, Ac. Pr., N.Y., 1974, 245–272. MR0358078 (50:10543).
- [152] M. A. Magid, *Lorentzian isoparametric hypersurfaces*, Pacific J. Math. **118** (1985), 165–197. MR0783023 (87b:53097).
- [153] M. Marcus and H. Minc *A Survey of Matrix Theory and Matrix Inequalities*, Dover, 1992. MR1215484.
- [154] Y. Martinez-Maure, *Contre-exemple à une caractérisation conjecturée de la sphère*, C. R. Math. Acad. Sci. Paris **332** (2001), 41–44. MR1805625 (2002a:53084).
- [155] Y. Martinez-Maure, *Théorie des hérissons et polytopes*, C. R. Math. Acad. Sci. Paris **336** (2003), 241–244. MR1968266 (2004c:52003).
- [156] U. Massari, M. Miranda, and M. Miranda, *The Bernstein theorem in higher dimensions*, Boll. Unione Mat. Ital. (9) **1** (2008), 349–359. MR2424298 (2009e:49052).

- [157] K. McCrimmon, *The Freudenthal-Springer-Tits constructions of exceptional Jordan algebras*, Trans. Amer. Math. Soc. **139** (1969), 495–510. MR0238916 (39:276).
- [158] K. McCrimmon, *A taste of Jordan algebras*, Springer, N.Y., 2004. MR2014924 (2004i:17001).
- [159] K. Meyberg and J. M. Osborn, *Pseudo-composition algebras*, Math. Z. **214** (1993), 67–77. MR1234598 (94i:17003).
- [160] K. Meyberg, *Trace formulas in vector product algebras*, Commun. Alg. **30**(2002), 2933–2940. MR1908248 (2003d:17002).
- [161] J. S. Milne, *Elliptic curves*, BookSurge Publishing, 2006. MR2267743 (2007h:14044).
- [162] J. W. Milnor, *Singular points of complex hypersurfaces*, Ann. Math. Stud., 61, Princeton Univ. Press, Princeton, N.J., 1968. MR0239612 (39:969).
- [163] J. W. Milnor, *On manifolds homeomorphic to the 7-sphere*, Ann. Math. **64** (1956), 399–405. MR0082103 (18,498d).
- [164] M. Miranda, *Recollections on a conjecture in mathematics*, Mat. Contemp. **35** (2008), 143–150. MR2584181.
- [165] P. Mironescu, *On the stability of radial solutions of the Ginzburg-Landau equation*, J. Funct. Anal. **130** (1995), 334–344. MR1335384 (96i:35124).
- [166] R. Miyaoka, *Transnormal functions on a Riemannian manifold*, Diff. Geom. Appl. **31** (2013), 130–139. MR3010083.
- [167] R. Miyaoka, *Isoparametric hypersurfaces with $(g, m) = (6, 2)$* , Ann. Math. **177** (2013), 53–110. MR2999038.
- [168] C. B. Morrey, *Second order elliptic systems of partial differential equations*, Contributions to the Theory of Partial Differential Equations, Ann. of Math. Studies, 33, Princeton Univ. Press, Princeton, 1954, 101–160. MR0068091 (16,827e).
- [169] H. F. Münzner, *Über Flächen mit einer Weingartenschen Ungleichung*, Math. Z. **97** (1967), 123–139. MR0208541 (34:8351).
- [170] H. F. Münzner, *Isoparametrische Hyperflächen in Sphären*, Math. Ann. **251** (1980), 57–71. MR583825 (82a:53058).
- [171] H. F. Münzner, *Isoparametrische Hyperflächen in Sphären. II. Über die Zerlegung der Sphäre in Ballbündel*, Math. Ann. **256** (1981), 215–232. MR620709 (82m:53053).
- [172] N. Nadirashvili, *Nonuniqueness in the martingale problem and the Dirichlet problem for uniformly elliptic operators*, An. Sc. Norm. Sup. Pisa, Cl. Sc. **24** (1997), 537–550. MR1612401 (99b:35042).
- [173] N. Nadirashvili, *On derivatives of viscosity solutions to fully nonlinear elliptic equations*, Mosc. Math. J. **11** (2011), 149–155. MR2808216 (2012e:35063).
- [174] N. Nadirashvili, V. G. Tkachev, and S. Vlăduț, *Non-classical solution to Hessian equation from Cartan isoparametric cubic*, Adv. Math. **231** (2012), 1589–1597. MR2964616.
- [175] N. Nadirashvili and S. Vlăduț, *Nonclassical solutions of fully nonlinear elliptic equations*, Geom. Func. An. **17** (2007), 1283–1296. MR2373018 (2008m:35121).
- [176] N. Nadirashvili and S. Vlăduț, *Singular solutions to fully nonlinear elliptic equations*, J. Math. Pures Appl. **89** (2008), 107–113. MR2391642 (2009a:35080).
- [177] N. Nadirashvili and S. Vlăduț, *Singular solution to special Lagrangian equations*. Ann. Inst. H. Poincaré Anal. Non Linéaire **27** (2010), 1179–1188. MR2683755 (2011k:35051).
- [178] N. Nadirashvili and S. Vlăduț, *Weak solutions of nonvariational elliptic equations*, Proceedings of the International Congress of Mathematicians, Volume III, 2001–2018, Hindustan Book Agency, New Delhi, 2010. MR2840858 (2012h:35076).
- [179] N. Nadirashvili and S. Vlăduț, *Singular solutions of Hessian fully nonlinear elliptic equations*, Adv. Math. **230** (2011), 1589–1597. MR2824567 (2012h:35077).
- [180] N. Nadirashvili and S. Vlăduț, *Octonions and nonclassical solutions of fully nonlinear elliptic equations*, Geom. Funct. An. **21** (2011), 483–498. MR2795515 (2012e:35062).
- [181] N. Nadirashvili and S. Vlăduț, *On axially symmetric solutions of Hessian fully nonlinear elliptic equations*, Math. Zeit. **270** (2012), 331–336. MR2875836.
- [182] N. Nadirashvili and S. Vlăduț, *On homogeneous solutions of nonlinear elliptic equations in four dimensions*, Comm. Pure Appl. Math. **66** (2013), 1653–1662. MR3084701.
- [183] N. Nadirashvili and S. Vlăduț, *Singular solutions of Hessian elliptic equations in five dimensions*, J. Math. Pures Appl. **100** (2013), 769–784. MR3125267.
- [184] N. Nadirashvili and Y. Yuan, *Homogeneous solutions to fully nonlinear elliptic equation*, Proc. Amer. Math. Soc. **134** (2006), 1647–1649. MR2204275 (2007b:35129).

- [185] J. von Neumann, *On an algebraic generalization of the quantum mechanical formalism (Part I)*, Rec. Math. [Mat. Sbornik] **1(43)** (1936), 415–484.
- [186] L. Nirenberg, *On nonlinear elliptic partial differential equations and Hölder continuity*, Comm. Pure Appl. Math. **6** (1953), 103–156. MR0064986 (16,367c).
- [187] L. Nirenberg, *On Singular Solutions of Nonlinear Elliptic and Parabolic Equations*, Milan Math. J. **79** (2011), 3–12. MR2831435 (2012i:35032).
- [188] J. C. C. Nitsche, *Lectures on minimal surfaces. Vol. 1*, Cambridge University Press, Cambridge, 1989. MR1015936 (90m:49031).
- [189] K. Nomizu, *Some results in E. Cartan's theory of isoparametric families of hypersurfaces*, Bull. Amer. Math. Soc. **79** (1973), 1184–1188. MR0326625 (48:4968).
- [190] K. Nomizu, *On isoparametric hypersurfaces in the Lorentzian space forms*, Japan. J. Math. (N.S.) **7** (1981), 217–226. MR0728336 (84k:53050).
- [191] P. Nurowski, *Distinguished dimensions for special Riemannian geometries*, J. Geom. Phys. **58** (2008), 1148–1170. MR2451275 (2009k:53108).
- [192] R. Osserman, *The minimal surface equation*, Seminar on nonlinear partial differential equations (Berkeley, Calif., 1983), Math. Sci. Res. Inst. Publ., 2, Springer, N. Y., 1984, 237–259. MR765237 (86b:58128).
- [193] H. Ozeki and M. Takeuchi, *On some types of isoparametric hypersurfaces in spheres. I*, Tôhoku Math. J. (2) **27** (1975), 515–559. MR0454888 (56:13132a).
- [194] H. Ozeki and M. Takeuchi, *On some types of isoparametric hypersurfaces in spheres. II*, Tôhoku Math. J. (2) **28** (1976), 7–55. MR0454889 (56:13132b).
- [195] G. Panina, *New counterexamples to A. D. Aleksandrov's hypothesis*, Adv. Geometry **5** (2005), 301–317. MR2131822 (2006d:52002).
- [196] C.-K. Peng and L. Xiao, *On the classification of cubic minimal cones*, J. of Grad. School **10** (1993), 1–19.
- [197] J. Peng and Z. Tang, *Brouwer degrees of gradient maps of isoparametric functions*, Sci. China Ser. A **39** (1996), 1131–1139. MR1442672 (98c:58039).
- [198] O. M. Perdomo, *Characterization of order 3 algebraic immersed minimal surfaces of S^3* , Geom. Dedicata **129** (2007), 23–34. MR2353979 (2008g:53011).
- [199] O. M. Perdomo, *Non-existence of regular algebraic minimal surfaces of spheres of degree 3*, J. Geom. **84** (2005), 100–105. MR2215368 (2007a:53016).
- [200] O. Perron, *Eine neue Behandlung der ersten Randwertaufgabe $\Delta u = 0$* , Math. Zeit. **18** (1923), 42–54. MR1544619.
- [201] H. P. Petersson and M. L. Racine, *Jordan algebras of degree 3 and the Tits process*, J. Algebra **98** (1986), 211–243. MR0825144 (87h:17038a).
- [202] H. P. Petersson, *Structure theorems for Jordan algebras of degree three over fields of arbitrary characteristic*, Comm. Algebra **32** (2004), 1019–1049. MR2063796 (2005h:17061).
- [203] A. V. Pogorelov, *Extension of a general uniqueness theorem of A. D. Aleksandrov to the case of nonanalytic surfaces* (Russian), Doklady Akad. Nauk SSSR (N.S.) **62** (1948), 297–299. MR0027569 (10,325a).
- [204] A. V. Pogorelov, *On the improper convex affine hyperspheres*, Geom. Dedic. **1** (1972), 33–46. MR0319126 (47:7672).
- [205] A. V. Pogorelov, *Mnogomernaya problema Minkovskogo*, “Nauka”, Moscow, 1975, translation: *The Minkowski multidimensional problem*, Wiley, N.Y., 1978. MR0500748 (58:18296).
- [206] T. Radó, *The problem of least area and the problem of Plateau*, Math. Z. **32** (1930), 763–796. MR1545197.
- [207] J. Radon, *Lineare scharen orthogonaler matrizen*, Abh. Math. Sem. Univ. Hamburg **1** (1922), 1–14. MR3069384.
- [208] R. C. Reilly, *On the Hessian of a function and the curvatures of its graph*, Mich. Math. J. **20** (1974), 373–383. MR0334045 (48:12364).
- [209] H. L. Resnikoff, *Theta functions for Jordan algebras*, Invent. Math. **31** (1975), 87–104. MR0412495 (54:618).
- [210] S. A. Robertson, *On transnormal manifolds*, Topology **6** (1967), 117–123. MR0206977 (34:6793).
- [211] R. T. Rockafellar, *Convex analysis*, Princeton Univ. Press, 1996. MR1451876 (97m:49001).
- [212] H. Röhrl and S. Walcher, *Algebras of complexity one*, Alg. Gr. Geom. **5** (1988), 61–107. MR0959584 (89i:17004).

- [213] H. H. Rose, *Geometrical Charged-Particle Optics*, Springer Ser. Opt. Sc., Springer, Amsterdam, 2009.
- [214] M. V. Safonov, *On the classical solution of nonlinear elliptic equations of second order*, Mathematics of the USSR-Izvestiya **33** (1989), 597–612. MR0984219 (90d:35104).
- [215] M. V. Safonov, *Unimprovability of estimates of Hölder constants for solutions of linear elliptic equations with measurable coefficients*, Math. USSR-Sbornik **60** (1988), 269–281. MR0882838 (88e:35049).
- [216] M. V. Safonov, *Nonuniqueness for Second-Order Elliptic Equations with Measurable Coefficients*, SIAM J. Math. Anal. **30** (1999), 879–895. MR1684729 (2000c:35035).
- [217] D. A. Salamon and Th. Walpuski, *Notes on the octonians*, arXiv:1005.2820 (2010).
- [218] O. Savin, *Small perturbation solutions for elliptic equations*, Comm. Part. Diff. Eq. **32** (2007), 557–578. MR2334822 (2008k:35175).
- [219] R. D. Schafer, *An introduction to nonassociative algebras*, Dover, N. Y., 1966. MR1375235 (96j:17001)
- [220] B. Segre, *Famiglie di ipersuperficie isoparametriche negli spazi euclidei ad un qualunque numero di dimensioni*, Atti. Accad. Linc. Rend. Cl. Sci. Fis. Mat. Natur. **21** (1938), 203–207.
- [221] V. V. Sergienko and V. G. Tkachev, *New examples of higher-dimensional minimal hypersurfaces*, in prep., 2013.
- [222] J. Serrin, *Isolated singularities of solutions of quasi-linear equations*, Acta Math. **113** (1965), 219–240. MR0176219 (31:494).
- [223] D. B. Shapiro, *Compositions of quadratic forms*, de Gruyter Expositions in Mathematics, 33, Walter de Gruyter, Berlin, 2000. MR1786291 (2002f:11046).
- [224] L. Silvestre and B. Sirakov, *Boundary regularity for viscosity solutions of fully nonlinear elliptic equations*, arXiv: 1306.6672v1, 2013.
- [225] L. Simon, *The minimal surface equation*, Geometry, V, Enc. Math. Sci. 90, Springer, Berlin, 1997, 239–272. MR1490041 (99b:53014).
- [226] L. Simon, *Entire solutions of the minimal surface equation*, J. Diff. Geom. **30** (1989), 643–688. MR1021370 (91a:35068).
- [227] L. Simon and B. Solomon, *Minimal hypersurfaces asymptotic to quadratic cones in \mathbb{R}^{n+1}* , Invent. Math. **86** (1986), 535–551. MR860681 (87k:49047).
- [228] J. Simons, *Minimal varieties in riemannian manifolds*, Ann. Math. **88** (1968), 62–105. MR0233295 (38:1617).
- [229] K. Smoczyk, *On algebraic selfsimilar solutions of the mean curvature flow*, Analysis (Munich) **31** (2011), 91–102. MR2752787.
- [230] B. Solomon, *The harmonic analysis of cubic isoparametric minimal hypersurfaces. I. Dimensions 3 and 6*, Amer. J. Math. **112** (1990), 157–203. MR1047297 (91e:58203).
- [231] B. Solomon, *The harmonic analysis of cubic isoparametric minimal hypersurfaces. II. Dimensions 12 and 24*, Amer. J. Math. **112** (1990), 205–241. MR1047298 (91e:58204).
- [232] T. A. Springer, *On a class of Jordan algebras*, Nederl. Akad. Wetensch. Proc. Ser. A 62 = Indag. Math. **21** (1959), 254–264. MR0110739 (22:1607).
- [233] T. A. Springer and F. D. Veldkamp, *Octonions, Jordan algebras and exceptional groups*, Springer, Berlin, 2000. MR1763974 (2001f:17006).
- [234] S. Sternberg, *Lectures on differential geometry*, Prentice-Hall, 1964. MR0193578 (33:1797).
- [235] S. Stolz, *Multiplicities of Dupin hypersurfaces*, Invent. Math. **138** (1999), 253–279. MR1720184 (2001d:53065).
- [236] A. Strominger, S.-T. Yau, and E. Zaslow, *Mirror symmetry is T-duality*, Nuclear Physics B **479** (1996), 243–259. MR1429831 (97j:32022).
- [237] D. Stroock and S. R. S. Varadhan, *Theory of diffusion processes*, Stochastic differential equations, C.I.M.E. Summer Sch. **77** (2010), Springer, Heidelberg, 149–191. MR2830392.
- [238] S. I. Svinolupov, *Jordan algebras and generalized Korteweg-de Vries equations*, Teoret. Mat. Fiz. **87** (1991), 391–403. MR1129673 (92k:58129).
- [239] S. I. Svinolupov, *Jordan algebras and integrable systems*, Funk. An. Appl. **27** (1993), 40–53, 96. MR1264317 (95b:35203).
- [240] S. I. Svinolupov and V. V. Sokolov, *Vector-matrix generalizations of classical integrable equations*, Teoret. Mat. Fiz. **100** (1994), 214–218. MR1311194 (95k:35154).
- [241] S. I. Svinolupov and V. V. Sokolov, *Deformations of nonassociative algebras and integrable differential equations*, Acta Appl. Math. **41** (1995), 323–339. MR1362135 (97e:17002).

- [242] T. Takahashi, *Minimal immersions of Riemannian manifolds*, J. Math. Soc. Japan **18** (1966), 380–385. MR0198393(33:6551).
- [243] Z. Tang, *Harmonic Hopf constructions and isoparametric gradient maps*, Diff. Geom. Appl. **25** (2007), 461–465. MR2351423 (2008j:53113).
- [244] Z. Tang, *New constructions of eigenmaps between spheres*, Internat. J. Math. **12** (2001), 277–288. MR1841516 (2002j:58027).
- [245] G. Thorbergsson, *A survey on isoparametric hypersurfaces and their generalizations*, Handbook of differential geometry, Vol. I, North-Holland, Amsterdam, 2000, 963–995. MR1736861 (2001a:53097).
- [246] G. Thorbergsson, *Singular Riemannian foliations and isoparametric submanifolds*, Milan J. Math. **78** (2010), 355–370. MR2684784 (2011g:53047).
- [247] J. Tits, *Algèbres alternatives, algèbres de Jordan et algèbres de Lie exceptionnelles. I. Construction*, Nederl. Akad. Wetensch. Proc. Ser. A 69 = Indag. Math. **28** (1966), 223–237. MR0219578 (36:2658).
- [248] V. G. Tkachev, *A remark on the Jörgens-Calabi-Pogorelov theorem* (Russian), Dokl. Akad. Nauk **340** (1995), 317–318.
- [249] V. G. Tkachev, *On a classification of minimal cubic cones in \mathbb{R}^n* , submitted, arxiv:1009.5409, 2010, 42 pp.
- [250] V. G. Tkachev, *A generalization of Cartan’s theorem on isoparametric cubics*, Proc. Amer. Math. Soc. **138** (2010), 2889–2895. MR2644901.
- [251] V. G. Tkachev, *Minimal cubic cones via Clifford algebras*, Comp. An. Op. Th. **4** (2010), 685–700. MR2719795.
- [252] V. G. Tkachev, *Jordan algebra approach to the cubic eiconal equation*, J. Algebra **419** (2014), 34–51. MR3253278
- [253] N. Trudinger, *Hölder gradient estimates for fully nonlinear elliptic equations*, Proc. Roy. Soc. Edinburgh Sect. A **108** (1988), 57–65. MR0931007 (90b:35041).
- [254] N. Trudinger, *Weak solutions of Hessian equations*, Comm. Part. Diff. Eq. **22** (1997), 1251–1261. MR1466315 (99a:35077).
- [255] N. S. Trudinger, *On regularity and existence of viscosity solutions of nonlinear second order, elliptic equations*, in: *Progr. Nonlinear Differential Equations Appl.*, 2, Birkhäuser, Boston, MA, 1989, 939–957. MR1034037 (90m:35041).
- [256] N. S. Trudinger, *The Dirichlet problem for the prescribed curvature equations*, Arch. Rat. Mech. Anal. **111** (1990), 153–170. MR1057653 (91g:35118).
- [257] N. S. Trudinger, *On the twice differentiability of viscosity solutions of nonlinear elliptic equations*, Austral. Math. Soc. **39** (1989), 443–447. MR0995142 (90f:35038).
- [258] N. S. Trudinger and X.-J. Wang, *Boundary regularity for the Monge-Ampère and affine maximal surface equations*, Ann. Math. **167** (2008), 993–1028. MR2415390 (2010h:35168).
- [259] J. I. E. Urbas, *On the existence of nonclassical solutions for two classes of fully nonlinear elliptic equations*, Indiana Univ. Math. J. **39** (1990), 355–382. MR1089043 (92h:35074).
- [260] J. I. E. Urbas, *An approximation result for solutions of Hessian equations*, Calc. Var. Part. Diff. Eq. **29** (2007), 219–230. MR2307773 (2008j:35070).
- [261] J. I. E. Urbas, *Regularity of generalized solutions of Monge-Ampère equations*, Math. Z. **197** (1988), 365–393. MR0926846 (89b:35046).
- [262] E. B. Vinberg, *Homogeneous cones*, Soviet Math. Dokl. **1** (1960), 787–790. MR0158414 (28:1637).
- [263] E. B. Vinberg, *The theory of homogeneous convex cones*, Trudy Mosk. Mat. Ob. **12** (1963), 303–358. MR0158414 (28:1637).
- [264] E. B. Vinberg, *Construction of the exceptional simple Lie algebras*, Lie groups and invariant theory, Amer. Math. Soc. Transl. Ser. 2, 213, Amer. Math. Soc., Providence, RI, 2005, pp. 241–242. MR2140725.
- [265] B. L. van der Waerden, *Algebra. Vol. I*, Springer, N.Y., 1991. MR1080172 (91h:00009a).
- [266] S. Walcher *On algebras of rank three*, Comm. Algebra **27** (1999), 3401–3438. MR1695570 (2000d:17001).
- [267] Q. M. Wang, *Isoparametric functions on Riemannian manifolds. I*, Math. Ann. **277** (1987), 639–646. MR0901710 (88h:53056).
- [268] J. S. Wang, *Degree 3 algebraic minimal surfaces in the 3-sphere*, Acta Math. Sc. **6** (2012), 2065–2084. MR2989397.

- [269] X.-J. Wang, *Some counterexamples to the regularity of Monge-Ampère equations*, Proc. Amer. Math. Soc. **123** (1995), 841–845. MR1223269 (95d:35025).
- [270] D. Wang and Yu. Yuan, *Singular solutions to special Lagrangian equations with subcritical phases and minimal surface systems*, Amer. J. Math. **135** (2013), 1157–1177. MR3117304.
- [271] M. Warren and Yu. Yuan, *A Liouville type theorem for special Lagrangian Equations with constraints*, Comm. Part. Diff. Eq. **33** (2008), 922–932. MR2424382 (2009f:35108).
- [272] G. Weyl, *Das asymptotische Verteilungsgezets des Eigenwerte lineare partieller Differentialgleichungen*, Math. Ann. **71** (1912), 441–479.
- [273] H. Whitney, *Local properties of analytic varieties*, Differential and combinatorial topology, Princeton Univ., 1965, 205–244. MR0188486 (32:5924).
- [274] R. Wood, *Polynomial maps from spheres to spheres*, Invent. Math. **5** (1968), 163–168. MR0227999 (37:3583).
- [275] L. Xiao, *Lorentzian isoparametric hypersurfaces in H_1^{n+1}* , Pacific J. Math. **189** (1999), 377–397. MR1696128 (2000h:53090).
- [276] S.-T. Yau, *On the Ricci curvature of a compact Kähler manifold and the complex Monge-Ampère equation. I*, Comm. Pure Appl. Math. **31** (1978), 339–411. MR0480350 (81d:53045).
- [277] S.-T. Yau, *Review of geometry and analysis*, Asian J. Math. **4** (2000), 235–278. MR1803723 (2002e:53002).
- [278] P. Yiu, *Quadratic forms between Euclidean spheres*, Manuscripta Math. **83** (1994), 171–181. MR1272181 (95b:55013).
- [279] Yu Yuan, *A priori estimates for solutions of fully nonlinear special lagrangian equations*, Ann. Inst. H. Poincaré C **18** (2001), 261–270. MR1808031 (2002e:35088).
- [280] Yu Yuan, *Global solutions to special Lagrangian equations*, Proc. Amer. Math. Soc. **134** (2006), 1355–1358. MR2199179 (2006k:35111).
- [281] Yu Yuan, *A Bernstein problem for special Lagrangian equations*, Invent. Math. **150** (2002), 117–125. MR1930884 (2003k:53060).
- [282] F. L. Zak, *Tangents and secants of algebraic varieties*, Translations of Mathematical Monographs, 127, Amer. Math. Soc., Providence, RI, 1993. MR1234494 (94i:14053).

Notation

Below is a list of some notation used in different chapters.

Chapter 1.

D^2u	the Hessian of u
∇u	the gradient of u
M^t	the transpose of a matrix M
M^*	the conjugate transpose of a matrix M , $M^* = \overline{M^t}$
$\text{Sym}_n(\mathbb{R})$	the space of real symmetric $n \times n$ matrices, $M^t = M$
$F(D^2w) = 0$	a simplest fully nonlinear uniformly elliptic equation
Δ_p	the p -Laplacian operator
Δ_∞	the ∞ -Laplacian operator
$\sum a_{ij} \frac{\partial^2}{\partial x_i \partial x_j}$	a linear elliptic operator
$\mathcal{M}^+, \mathcal{M}^-$	Pucci's extremal operators
$\sigma_k(\lambda)$	symmetric functions of eigenvalues of a matrix
$(\varkappa_1, \dots, \varkappa_n)$	the principal curvatures of a graph
A^u	the conformal Hessian
Ω	a domain in \mathbb{R}^n
U^+, U^-	the set of C^2 -supersolutions, C^2 -subsolutions
$W^{p,q}$	Sobolev spaces
$\text{meas}(E)$	the Lebesgue measure of $E \subset \mathbb{R}^n$
\mathcal{P}	the subset of nonnegative matrices
Σ_n	the permutation group on n symbols
B	the unit ball in \mathbb{R}^n centered at the origin
B_r	a ball in \mathbb{R}^n of radius r
\mathbb{S}^{n-1}	the unit sphere in \mathbb{R}^n
\mathbb{S}_r^{n-1}	the sphere in \mathbb{R}^n of radius r
u_v	for a function u and a vector v the derivative of u in the direction v , $u_v = \langle \nabla u, v \rangle$
$\lambda(A)$	the (ordered) spectrum $\text{Spec}(A)$ of the linear operator A

Chapter 2.

\mathbb{H}	the algebra of quaternions
\mathbb{O}	the algebra of octonions
(e_0, \dots, e_7)	the canonical basis of \mathbb{O}
$SO(n)$	the special orthogonal group in \mathbb{R}^n
$\text{Spin}(n)$	the spinor group, the universal covering of $SO(n)$

C_n	the real Clifford algebra on n generators
$A[n]$	the $n \times n$ matrix algebra $M_n(A)$ over an associative algebra A
$U(n)$	the unitary group in \mathbb{C}^n
$SU(n)$	the special unitary group in \mathbb{C}^n
$Sp(n)$	the symplectic group in \mathbb{R}^{2n}
P_n^+, P_n^-	the space of positive or negative pinors
S_n	the spinor representation of $\text{Spin}(n)$
S_n^+, S_n^-	for $n = 4$ or 8 , the positive and negative spinor representations of $\text{Spin}(n)$
G_2	the simple exceptional group, isomorphic to $\text{Aut}_{\mathbb{R}-\text{alg}}(\mathbb{O})$
t_d	for $d = 2, 4$, or 8 , the normed triality on \mathbb{C}, \mathbb{H} , or \mathbb{O}
P_s	for $s = 6, 12$, or 24 , the harmonic triality polynomials in s variables
$\text{Aut}(t_d)$	for $d = 2, 4$, or 8 , the automorphism group of a normed triality
$\langle \cdot, \cdot \rangle$	the inner product in \mathbb{R}^k
$u \times v$	a cross product on a space of dimension 3 or 7
φ	an associative calibration on a space of dimension 3 or 7
$[u, v, w]$	the associator bracket of the vectors u, v, w
$\text{Gram}(u, v, w)$	the Gram matrix of the vectors u, v, w
ψ	a coassociative calibration on a space of dimension 7
$[u, v, w, x]$	the coassociator bracket of the vectors u, v, w, x
$G(V, \varphi)$	the automorphism group of an associative calibration on V
W	an 8 -dimensional normed division algebra
$u \times v \times w$	the triple cross product of W
Φ	a Cayley calibration on W
$G(W, \Phi)$	the automorphism group of Φ on W

Chapter 3.

\mathbb{F}_d	the classical division algebra of real dimension $d = 1, 2, 4, 8$, $\mathbb{F}_4 = \mathbb{H}, \mathbb{F}_8 = \mathbb{O}$
\mathbb{F}	the field $\mathbb{F}_1 = \mathbb{R}$ or $\mathbb{F}_2 = \mathbb{C}$
C_d	for $d = 1, 2, 4, 8$, the Cartan isoparametric cubic in $3d + 2$ variables
(W, Q)	a quadratic subspace
$x \bullet y$	the Jordan product
V	a Jordan algebra
$\text{Herm}_n(\mathbb{F}_d)$	the set of the Hermitian matrices over \mathbb{F}_d , $d = 1, 2, 4$, $n \geq 3$, $\text{Herm}_n(\mathbb{R}) = \text{Sym}_n(\mathbb{R})$
$\text{Herm}_3(\mathbb{O})$	the Albert algebra of Hermitian 3×3 matrices over octonions
e^\perp	the trace free subspace of V
$m_x(\lambda)$	the minimum polynomial of the regular element x
N	the generic norm in V
T	the bilinear trace form in V
Tr	the generic trace in V
tr	the trace of a linear endomorphism
$x \rightarrow x^\#$	the quadratic sharp map
$M_n(A)$	the $n \times n$ matrix algebra over an associative algebra A

$\mathcal{S}(V, Q, c)$	a spin factor
$\mathcal{J}(V, N, c)$	a Springer Jordan algebra
$\text{hess } u(x, y)$	the mixed Hessian

Chapter 4.

$Q(\mathbb{R}^n)$	the vector space of quadratic forms over \mathbb{R}
H	the Hessian map $\mathbb{S}^{n-1} \rightarrow Q(\mathbb{R}^n)$, $a \mapsto D^2w(a)$
Q_d	for $d \in \mathbb{R}^{12}$, the quadratic form $(P_{12})_d$
χ_d	the characteristic polynomial of the form $2Q_d$
$\text{Spec}(A)$	the spectrum of a matrix (quadratic form) A
$w_{j,\delta}(x)$	for $j = 3, 6, 12, 24$, $\delta \in [1, 2[$, the basic function $P_j(x)/ x ^\delta$
$w_{12}(x)$	the basic function $P_{12}(x)/ x $
Λ	the eigenvalue map defined by D^2w
$G(\lambda)$	the characteristic polynomial of the form D^2P_{24}
K_λ	the convex λ -cone
$\text{Res}(F_1, F_2)$	the resultant of the polynomials F_1, F_2
$H(a)$	the Hessian $D^2w_{12}(a)$ for $a \in \mathbb{R} \setminus \{0\}$
$P_A(\xi)$	the characteristic polynomial of $A := H(a)$
$P_{A,\delta}(\xi)$	the characteristic polynomial of $H_\delta(a) := D^2w_{12,\delta}(a)$

Chapter 5.

$u(x)$	the normalized Jordan norm on the space of trace free elements
$w_\alpha(x)$	the homogeneous function $u(x)/ x ^\alpha$
$\text{Hess}_x(u)$	the Hessian $D^2u(x)$
A_1, A_2, A_3	the generators of the automorphism of the Cartan cubic C_1
$w_{3d+2}(x)$	for $d = 1, 2, 4, 8$, the function $C_d(x)/ x $
$g_{3d+2} = 0$	for $d = 1, 2, 4, 8$, a locally uniformly elliptic polynomial equation for $w_{3d+2}(x)$
$P_6(x, y)$	the OT-FKM type isoparametric quartic in six dimensions
$w_6(x, y)$	a rational nonclassical solution $P_6(x, y)/ (x, y) ^2$ to a uniformly elliptic equation

Chapter 6.

$Q(x, y)$	a nondegenerate bilinear form
$Q(x) = Q(x, x)$	the corresponding quadratic form
$V(u)$	the Freudenthal-Springer algebra of a cubic form u
c	an idempotent in a REC algebra
L_x	the multiplication operator by $x \in V$
$V_x(a)$	the invariant subspace of L_x corresponding to the eigenvalue a
$V_0 \oplus V_1$	a polar decomposition
ρ	the Hurwitz-Radon function (6.5.18)
$\{A, B\}$	the Jordan product of operators A and B , $\{A, B\} = AB + BA$
$\mathcal{N}(V)$	the set of normalized square zero elements

V_c^\bullet	the Jordan algebra on $V_c(1; -\frac{1}{2})$ associated to a REC algebra
$n_i(c), i = 1, 2, 3$	the characteristic dimensions of the idempotent c

Chapter 7.

φ	the associative calibration on $\text{Im } \mathbb{O}$
ψ	the coassociative calibration on $\text{Im } \mathbb{O}$
Φ	the Cayley calibration on \mathbb{O}
M_c	the coassociative $Sp(1)$ -invariant singular 4-fold in $\text{Im } \mathbb{O}$
$\mathbf{F}_h(u)$	the special Lagrangian operator with the parameter $h = -\tan \theta$
u_c	a special analytic solution to the equation $\mathbf{F}_{-c}(u) = 0$ on a small ball
$f \mapsto \tilde{f}$	the Legendre transform
$\mathbb{R}\{x, y, z\}$	the ring of power series in \mathbb{R}^3 converging near zero
$Q(\nabla u_c)$	the local ring of the Legendre transform of u_c
u_θ	the singular solution to the equation $\mathbf{F}_\theta(u) = 0$ on a small ball
u_θ^m	even more singular solutions to the equation $\mathbf{F}_\theta(u) = 0$ on a small ball
u_θ^ε	a family of smooth solutions violating the maximum principle for the Hessian
U^m	weak solutions of the minimal surface system which are not $W^{1,1+\varepsilon}$ for $m \rightarrow \infty$

Index

- 4-fold cross product, 59
- K -cone condition, 96
- Δ_1 , 156
- ∞ -Laplacian, 3
- λ -cone condition, 87
- $\mathcal{N}(V)$, 183
- σ_k -equation, 6
- p -Laplace equation, 2
- a priori bound, 7
- ABP maximum principle, 11
- Alexandrov's theorem, 28
- alternative algebra, 46
- anticommutator product, 67
- associative bilinear form, 161
- associative calibration, 54, 207
- associative subspace, 56
- associator, 46
- associator bracket, 55
- Bernstein's theorem, 27, 159
- Bott periodicity, 49
- calibrated geometries, 205
- calibrated submanifold, 205
- calibration, 205
- Cartan isoparametric cubic, 64
- Cartan-Münzner system, 64
- Cayley calibration, 59
- Cayley form, 61
- Cayley submanifold, 208
- Cayley subspace, 61
- Cayley-Dickson construction, 46
- characteristic dimensions, 182
- classical solution, 6
- Clifford algebra, 48
- coassociative calibration, 56, 208
- coassociative subspace, 57
- coassociator bracket, 57
- complex Monge-Ampère equation, 4
- conformal Hessian equation, 6
- congruent forms, 66
- continuity method, 7
- coordinate plane, 96
- cross product, 54
- cubic Jordan algebra, 74
- curvature equation, 6
- degenerate elliptic linear equation, 2
- Dirichlet duality, 22
- Dirichlet problem, 6
- Dirichlet set, 22
- division algebra, 46
- Donaldson equation, 5
- eiconal equation, 64
- eigenfunction, 160
- ellipticity criterion, 86
- Euclidean Jordan algebra, 72
- Evans-Krylov's theorem, 16
- exceptional Albert algebra, 71
- exceptional isomorphisms, 49
- failure of maximum principle, 218
- formally real Jordan algebra, 68
- Freudenthal multiplication, 162
- Freudenthal-Springer algebra, 162
- Gauss curvature equation, 6
- generic norm, 69
- generic trace, 69
- geometrically equivalent Clifford systems, 173
- Ginzburg-Landau system, 151
- group G_2 , 51
- Hamilton-Jacobi-Bellman equation, 3
- harmonic curvature, 6
- harmonic REC algebra, 165
- Harnack inequality, 13
- Hartman-Nirenberg's theorem, 32
- hérisson, 28
- Hermitian Jordan algebra, 70
- Hessian ellipticity criterion, 96
- Hessian equation, 5
- Hessian of the generic norm, 117
- Hessian problem, 86
- homogeneous isoparametric hypersurface, 143
- homogeneous polynomial map, 118
- homogeneous solution, 31
- Hsiang problem, 159
- idempotent, 73
- irreducible representation, 50
- irreducible symmetric Clifford system, 173

- Isaacs equation, 3
 isoparametric function, 63
 isoparametric hypersurface , 63
 Jordan algebra, 68
 Jordan cubic form, 75
 Jordan frame, 73
 Jordan identity, 67
 Jordan matrix algebra, 70
 Jordan product, 67
 Jörgen-Calabi-Pogorelov theorem, 39
 Lagrangian geometry, 206
 Laplace's equation, 2
 Lawson's cubic minimal cone, 161, 172
 Legendre transform, 215
 level hypersurface, 65
 Lewy rotation, 218
 linear in symmetric functions σ_k ,
 equations, 5
 linear trace, 74
 Liouville's theorem, 38
 martingale problem, 13
 maximum principle, 7
 mean curvature, 6
 metrized algebra, 161
 metrized subalgebra, 163
 minimal hypercones, 159
 minimal submanifold, 205
 minimal surface system, 218
 Minkowski spin factor, 71
 Monge-Ampère equation, 4
 nicely normed algebra, 47
 Nirenberg's theorem, 18
 normed division algebra, 46
 normed triality, 52
 octonion construction, 96
 octonions, 47
 OT-FKM type isoparametric hypersurface,
 144
 Peirce decomposition, 73
 Peirce decomposition of a REC algebra, 181
 polar algebra, 169
 polar decomposition, 169
 primitive idempotent, 73
 Pucci's equation, 3
 Pucci's extremal operator, 3
 quadratic representation, 72
 quadratic sharp map, 75
 quadratic spur, 74
 quasilinear elliptic equations in divergence
 form, 2
 quasilinear elliptic equations in
 nondivergence form, 3
 quaternions, 47
 radial eigencubic, 156
 radial eigencubic algebra (REC algebra),
 165
 rank of a Jordan algebra, 69
 reduced cubic factor, 76
 reducible REC algebra, 194
 regular eigenfunction, 160
 regular element in a Jordan algebra, 69
 removable singularity, 42
 resultant, 101
 saddle function, 27
 scalar curvature, 6
 second approximative differential, 15
 sedenions, 47
 semisimple Jordan algebra, 72
 similar eigenfunctions, 160
 similar metrized algebras, 162
 similarity invariant, 162
 simple Jordan algebra, 72
 singular coassociative 4-fold, 209
 special Cartan REC algebra, 166
 special Jordan algebra, 70
 special Lagrangian equations, 211
 special Lagrangian submanifold, 206
 spin factor of a quadratic form, 71
 spin representation, 50
 spin type representation, 50
 spinor group, 49
 Springer construction, 74
 strictly elliptic equation, 2
 strictly hyperbolic matrix, 115
 structural constant, 165
 subaffine function, 23
 subsolution, 8
 supersolution, 8
 symmetric Clifford system, 171
 third approximative differential, 15
 trace form, 75
 transnormal function, 65
 transport Monge-Ampère equation, 4
 triality, 51
 triality system, 186
 triple cross product, 60
 uniformly elliptic equation, 2
 uniformly hyperbolic matrix family, 101
 vector representation, 50
 viscosity solution, 8
 Weingarten equation, 6
 Whitney's stratification theorem, 35

This book presents applications of noncommutative and nonassociative algebras to constructing unusual (nonclassical and singular) solutions to fully nonlinear elliptic partial differential equations of second order. The methods described in the book are used to solve a longstanding problem of the existence of truly weak, nonsmooth viscosity solutions. Moreover, the authors provide an almost complete description of homogeneous solutions to fully nonlinear elliptic equations. It is shown that even in the very restricted setting of “Hessian equations”, depending only on the eigenvalues of the Hessian, these equations admit homogeneous solutions of all orders compatible with known regularity for viscosity solutions provided the space dimension is five or larger. To the contrary, in dimension four or less the situation is completely different, and our results suggest strongly that there are no nonclassical homogeneous solutions at all in dimensions three and four.

Thus this book gives a complete list of dimensions where nonclassical homogeneous solutions to fully nonlinear uniformly elliptic equations do exist; this should be compared with the situation of, say, ten years ago when the very existence of nonclassical viscosity solutions was not known.



For additional information
and updates on this book, visit
www.ams.org/bookpages/surv-200

AMS on the Web
www.ams.org

ISBN 978-1-4704-1710-9

9 781470 417109

SURV/200