

University
LECTURE
Series

Volume 58

Complex Proofs
of Real Theorems

Peter D. Lax
Lawrence Zalcman



American Mathematical Society

Complex Proofs of Real Theorems

University LECTURE Series

Volume 58

Complex Proofs of Real Theorems

Peter D. Lax
Lawrence Zalcman



American Mathematical Society
Providence, Rhode Island

EDITORIAL COMMITTEE

Jordan S. Ellenberg
William P. Minicozzi II (Chair)

Benjamin Sudakov
Tatiana Toro

2010 *Mathematics Subject Classification*. Primary 30-XX, 41-XX, 47-XX, 42-XX, 46-XX, 26-XX, 11-XX, 60-XX.

For additional information and updates on this book, visit
www.ams.org/bookpages/ulect-58

Library of Congress Cataloging-in-Publication Data

Lax, Peter D.

Complex proofs of real theorems / Peter D. Lax.

p. cm. — (University lecture series ; v. 58)

Includes bibliographical references.

ISBN 978-0-8218-7559-9 (alk. paper)

1. Functions of complex variables. 2. Approximation theory. 3. Functional analysis. I. Zalcmann, Lawrence Allen. II. Title.

QA331.7.L39 2012

515.9'53—dc23

2011045859

Copying and reprinting. Individual readers of this publication, and nonprofit libraries acting for them, are permitted to make fair use of the material, such as to copy a chapter for use in teaching or research. Permission is granted to quote brief passages from this publication in reviews, provided the customary acknowledgment of the source is given.

Republication, systematic copying, or multiple reproduction of any material in this publication is permitted only under license from the American Mathematical Society. Requests for such permission should be addressed to the Acquisitions Department, American Mathematical Society, 201 Charles Street, Providence, Rhode Island 02904-2294 USA. Requests can also be made by e-mail to reprint-permission@ams.org.

© 2012 by the American Mathematical Society. All rights reserved.

The American Mathematical Society retains all rights
except those granted to the United States Government.

Printed in the United States of America.

∞ The paper used in this book is acid-free and falls within the guidelines
established to ensure permanence and durability.

Visit the AMS home page at <http://www.ams.org/>

10 9 8 7 6 5 4 3 2 1 17 16 15 14 13 12

To our wives,
Lori and Adrienne

Contents

Preface	ix
Chapter 1. Early Triumphs	1
1.1. The Basel Problem	1
1.2. The Fundamental Theorem of Algebra	3
Chapter 2. Approximation	5
2.1. Completeness of Weighted Powers	5
2.2. The Müntz Approximation Theorem	7
Chapter 3. Operator Theory	13
3.1. The Fuglede-Putnam Theorem	13
3.2. Toeplitz Operators	14
3.3. A Theorem of Beurling	22
3.4. Prediction Theory	28
3.5. The Riesz-Thorin Convexity Theorem	34
3.6. The Hilbert Transform	40
Chapter 4. Harmonic Analysis	45
4.1. Fourier Uniqueness via Complex Variables (d'après D.J. Newman)	45
4.2. A Curious Functional Equation	46
4.3. Uniqueness and Nonuniqueness for the Radon Transform	49
4.4. The Paley-Wiener Theorem	54
4.5. The Titchmarsh Convolution Theorem	57
4.6. Hardy's Theorem	58
Chapter 5. Banach Algebras: The Gleason-Kahane-Żelazko Theorem	63
Chapter 6. Complex Dynamics: The Fatou-Julia-Baker Theorem	67
Chapter 7. The Prime Number Theorem	71
Coda: Transonic Airfoils and SLE	77
Appendix A. Liouville's Theorem in Banach Spaces	81
Appendix B. The Borel-Carathéodory Inequality	83
Appendix C. Phragmén-Lindelöf Theorems	85
Appendix D. Normal Families	87

Preface

At the middle of the twentieth century, the theory of analytic functions of a complex variable occupied an honored, even privileged, position within the canon of core mathematics. This “particularly rich and harmonious theory,” averred Hermann Weyl, “is the showpiece of classical nineteenth century analysis.”¹ Lest this be mistaken for a gentle hint that the subject was getting old-fashioned, we should recall Weyl’s characterization just a few years earlier of Nevanlinna’s theory of value distribution for meromorphic functions as “one of the few great mathematical events in our century.”² Leading researchers in areas far removed from function theory seemingly vied with one another in affirming the “permanent value”³ of the theory. Thus, Clifford Truesdell declared that “conformal maps and analytic functions will stay current in our culture as long as it lasts”;⁴ and Eugene Wigner, referring to “the many beautiful theorems in the theory ... of power series and of analytic functions in general,” described them as the “most beautiful accomplishments of [the mathematician’s] genius.”⁵ Little wonder, then, that complex function theory was a mainstay of the graduate curriculum, a necessary and integral part of the common culture of all mathematicians.

Much has changed in the past half century, not all of it for the better. From its central position in the curriculum, complex analysis has been pushed to the margins. It is now entirely possible at some institutions to obtain a Ph.D. in mathematics without being exposed to the basic facts of function theory, and (incredible as it may seem) even students specializing in analysis often fulfill degree requirements by taking only a single semester of complex analysis. This, despite the fact that complex variables offers the analyst such indispensable tools as power series, analytic continuation, and the Cauchy integral. Moreover, many important results in real analysis use complex variables in their proofs. Indeed, as Painlevé wrote already at the end of the nineteenth century, “Between two truths of the real domain, the easiest and shortest path quite often passes through the complex

¹Hermann Weyl, *A half-century of mathematics*, Amer. Math. Monthly **58** (1951), 523-553, p. 526.

²Hermann Weyl, *Meromorphic Functions and Analytic Curves*, Princeton University Press, 1943, p. 8.

³G. Kreisel, *On the kind of data needed for a theory of proofs*, Logic Colloquium **76**, North Holland, 1977, pp. 111-128, p. 118.

⁴C. Truesdell, *Six Lectures on Modern Natural Philosophy*, Springer-Verlag, 1966, p. 107.

⁵Eugene P. Wigner, *The unreasonable effectiveness of mathematics in the natural sciences*, Comm. Pure Appl. Math. **13** (1960), 1-14, p. 3.

domain,"⁶ a claim endorsed and popularized by Hadamard.⁷ Our aim in this little book is to illustrate this thesis by bringing together in one volume a variety of mathematical results whose formulations lie outside complex analysis but whose proofs employ the theory of analytic functions. The most famous such example is, of course, the Prime Number Theorem; but, as we show, there are many other examples as well, some of them basic results.

For whom, then, is this book intended? First of all, for everyone who loves analysis and enjoys reading pretty proofs. The technical level is relatively modest. We assume familiarity with basic functional analysis and some elementary facts about the Fourier transform, as presented, for instance, in the first author's *Functional Analysis* (Wiley-Interscience, 2002), referred to henceforth as [FA]. In those few instances where we have made use of results not generally covered in the standard first course in complex variables, we have stated them carefully and proved them in appendices. Thus the material should be accessible to graduate students. A second audience consists of instructors of complex variable courses interested in enriching their lectures with examples which use the theory to solve problems drawn from outside the field.

Here is a brief summary of the material covered in this volume. We begin with a short account of how complex variables yields quick and efficient solutions of two problems which were of great interest in the seventeenth and eighteenth centuries, viz., the evaluation of $\sum_1^\infty 1/n^2$ and related sums and the proof that every algebraic equation in a single variable (with real or even complex coefficients) is solvable in the field of complex numbers. Next, we discuss two representative applications of complex analysis to approximation theory in the real domain: weighted polynomial approximation on the line and uniform approximation on the unit interval by linear combinations of the functions $\{x^{n_k}\}$, where $n_k \rightarrow \infty$ (Müntz's Theorem). We then turn to applications of complex variables to operator theory and harmonic analysis. These chapters form the heart of the book. A first application to operator theory is Rosenblum's elegant proof of the Fuglede-Putnam Theorem. We then discuss Toeplitz operators and their inversion, Beurling's characterization of the invariant subspaces of the unilateral shift on the Hardy space H^2 and the consequent divisibility theory for the algebra \mathcal{B} of bounded analytic functions on the disk or half-plane, and a celebrated problem in prediction theory (Szegő's Theorem). We also prove the Riesz-Thorin Convexity Theorem and use it to deduce the boundedness of the Hilbert transform on $L^p(\mathbb{R})$, $1 < p < \infty$. The chapter on applications to harmonic analysis begins with D.J. Newman's striking proof of Fourier uniqueness via complex variables; continues on to a discussion of a curious functional equation and questions of uniqueness (and nonuniqueness) for the Radon transform; and then turns to the Paley-Wiener Theorem, which together with the divisibility theory for \mathcal{B} referred to above is exploited to provide a simple proof of the Titchmarsh Convolution Theorem. This chapter concludes with Hardy's Theorem, which quantifies the fact that a function and its Fourier transform cannot both tend to zero

⁶"Entre deux vérités du domaine réel, le chemin le plus facile et le plus court passe bien souvent par le domaine complexe." Paul Painlevé, *Analyse des travaux scientifiques*, Gauthier-Villars, 1900, pp.1-2.

⁷"It has been written that the shortest and best way between two truths of the real domain often passes through the imaginary one." Jacques Hadamard, *An Essay on the Psychology of Invention in the Mathematical Field*, Princeton University Press, 1945, p. 123.

too rapidly. The final chapters are devoted to the Gleason-Kahane-Żelazko Theorem (in a unital Banach algebra, a subspace of codimension 1 which contains no invertible elements is a maximal ideal) and the Fatou-Julia-Baker Theorem (the Julia set of a rational function of degree at least 2 or a nonlinear entire function is the closure of the repelling periodic points). We end on a high note, with a proof of the Prime Number Theorem. A coda deals very briefly with two unusual applications: one to fluid dynamics (the design of shockless airfoils for partly supersonic flows), and the other to statistical mechanics (the stochastic Loewner evolution).

To a certain extent, the choice of topics is canonical; but, inevitably, it has also been influenced by our own research interests. Some of the material has been adapted from [FA]. Our title echoes that of a paper by the second author.⁸

Although this book has been in the planning stages for some time, the actual writing was done during the Spring and Summer of 2010, while the second author was on sabbatical from Bar-Ilan University. He thanks the Courant Institute of Mathematical Sciences of New York University for its hospitality during part of this period and acknowledges the support of Israel Science Foundation Grant 395/07.

Finally, it is a pleasure to acknowledge valuable input from a number of friends and colleagues. Charles Horowitz read the initial draft and made many useful comments. David Armitage, Walter Bergweiler, Alex Eremenko, Aimo Hinkkanen, and Tony O’Farrell all offered perceptive remarks and helpful advice on subsequent versions. Special thanks to Miriam Beller for her expert preparation of the manuscript.

Peter D. Lax
New York, NY

Lawrence Zalcman
Jerusalem, Israel

⁸Lawrence Zalcman, *Real proofs of complex theorems (and vice versa)*, Amer. Math. Monthly **81** (1974), 115-137.

Titles in This Series

- 58 **Peter D. Lax and Lawrence Zalcman**, Complex proofs of real theorems, 2012
- 57 **Frank Sottile**, Real solutions to equations from geometry, 2011
- 56 **A. Ya. Helemskii**, Quantum functional analysis: Non-coordinate approach, 2010
- 55 **Oded Goldreich**, A primer on pseudorandom generators, 2010
- 54 **John M. Mackay and Jeremy T. Tyson**, Conformal dimension: Theory and application, 2010
- 53 **John W. Morgan and Frederick Tsz-Ho Fong**, Ricci flow and geometrization of 3-manifolds, 2010
- 52 **Jan Nagel and Marian Aprodu**, Koszul cohomology and algebraic geometry, 2010
- 51 **J. Ben Hough, Manjunath Krishnapur, Yuval Peres, and Bálint Virág**, Zeros of Gaussian analytic functions and determinantal point processes, 2009
- 50 **John T. Baldwin**, Categoricity, 2009
- 49 **József Beck**, Inevitable randomness in discrete mathematics, 2009
- 48 **Achill Schürmann**, Computational geometry of positive definite quadratic forms, 2008
- 47 **Ernst Kunz (with the assistance of and contributions by David A. Cox and Alicia Dickenstein)**, Residues and duality for projective algebraic varieties, 2008
- 46 **Lorenzo Sadun**, Topology of tiling spaces, 2008
- 45 **Matthew Baker, Brian Conrad, Samit Dasgupta, Kiran S. Kedlaya, and Jeremy Teitelbaum (David Savitt and Dinesh S. Thakur, Editors)**, p -adic geometry: Lectures from the 2007 Arizona Winter School, 2008
- 44 **Vladimir Kanovei**, Borel equivalence relations: structure and classification, 2008
- 43 **Giuseppe Zampieri**, Complex analysis and CR geometry, 2008
- 42 **Holger Brenner, Jürgen Herzog, and Orlando Villamayor (Juan Elias, Teresa Cortadellas Benítez, Gemma Colomé-Nin, and Santiago Zarzuela, Editors)**, Three Lectures on Commutative Algebra, 2008
- 41 **James Haglund**, The q, t -Catalan numbers and the space of diagonal harmonics (with an appendix on the combinatorics of Macdonald polynomials), 2008
- 40 **Vladimir Pestov**, Dynamics of infinite-dimensional groups. The Ramsey–Dvoretzky–Milman phenomenon, 2006
- 39 **Oscar Zariski**, The moduli problem for plane branches (with an appendix by Bernard Teissier), 2006
- 38 **Lars V. Ahlfors**, Lectures on Quasiconformal Mappings, Second Edition, 2006
- 37 **Alexander Polishchuk and Leonid Positselski**, Quadratic algebras, 2005
- 36 **Matilde Marcolli**, Arithmetic noncommutative geometry, 2005
- 35 **Luca Capogna, Carlos E. Kenig, and Loredana Lanzani**, Harmonic measure: Geometric and analytic points of view, 2005
- 34 **E. B. Dynkin**, Superdiffusions and positive solutions of nonlinear partial differential equations, 2004
- 33 **Kristian Seip**, Interpolation and sampling in spaces of analytic functions, 2004
- 32 **Paul B. Larson**, The stationary tower: Notes on a course by W. Hugh Woodin, 2004
- 31 **John Roe**, Lectures on coarse geometry, 2003
- 30 **Anatole Katok**, Combinatorial constructions in ergodic theory and dynamics, 2003
- 29 **Thomas H. Wolff (Izabella Łaba and Carol Shubin, editors)**, Lectures on harmonic analysis, 2003
- 28 **Skip Garibaldi, Alexander Merkurjev, and Jean-Pierre Serre**, Cohomological invariants in Galois cohomology, 2003
- 27 **Sun-Yung A. Chang, Paul C. Yang, Karsten Grove, and Jon G. Wolfson**, Conformal, Riemannian and Lagrangian geometry, The 2000 Barrett Lectures, 2002
- 26 **Susumu Ariki**, Representations of quantum algebras and combinatorics of Young tableaux, 2002
- 25 **William T. Ross and Harold S. Shapiro**, Generalized analytic continuation, 2002

TITLES IN THIS SERIES

- 24 **Victor M. Buchstaber and Taras E. Panov**, Torus actions and their applications in topology and combinatorics, 2002
- 23 **Luis Barreira and Yakov B. Pesin**, Lyapunov exponents and smooth ergodic theory, 2002
- 22 **Yves Meyer**, Oscillating patterns in image processing and nonlinear evolution equations, 2001
- 21 **Bojko Bakalov and Alexander Kirillov, Jr.**, Lectures on tensor categories and modular functors, 2001
- 20 **Alison M. Etheridge**, An introduction to superprocesses, 2000
- 19 **R. A. Minlos**, Introduction to mathematical statistical physics, 2000
- 18 **Hiraku Nakajima**, Lectures on Hilbert schemes of points on surfaces, 1999
- 17 **Marcel Berger**, Riemannian geometry during the second half of the twentieth century, 2000
- 16 **Harish-Chandra**, Admissible invariant distributions on reductive p -adic groups (with notes by Stephen DeBacker and Paul J. Sally, Jr.), 1999
- 15 **Andrew Mathas**, Iwahori-Hecke algebras and Schur algebras of the symmetric group, 1999
- 14 **Lars Kadison**, New examples of Frobenius extensions, 1999
- 13 **Yakov M. Eliashberg and William P. Thurston**, Confoliations, 1998
- 12 **I. G. Macdonald**, Symmetric functions and orthogonal polynomials, 1998
- 11 **Lars Gårding**, Some points of analysis and their history, 1997
- 10 **Victor Kac**, Vertex algebras for beginners, Second Edition, 1998
- 9 **Stephen Gelbart**, Lectures on the Arthur-Selberg trace formula, 1996
- 8 **Bernd Sturmfels**, Gröbner bases and convex polytopes, 1996
- 7 **Andy R. Magid**, Lectures on differential Galois theory, 1994
- 6 **Dusa McDuff and Dietmar Salamon**, J -holomorphic curves and quantum cohomology, 1994
- 5 **V. I. Arnold**, Topological invariants of plane curves and caustics, 1994
- 4 **David M. Goldschmidt**, Group characters, symmetric functions, and the Hecke algebra, 1993
- 3 **A. N. Varchenko and P. I. Etingof**, Why the boundary of a round drop becomes a curve of order four, 1992
- 2 **Fritz John**, Nonlinear wave equations, formation of singularities, 1990
- 1 **Michael H. Freedman and Feng Luo**, Selected applications of geometry to low-dimensional topology, 1989

Complex Proofs of Real Theorems is an extended meditation on Hadamard's famous dictum, "The shortest and best way between two truths of the real domain often passes through the imaginary one." Directed at an audience acquainted with analysis at the first year graduate level, it aims at illustrating how complex variables can be used to provide quick and efficient proofs of a wide variety of important results in such areas of analysis as approximation theory, operator theory, harmonic analysis, and complex dynamics.

Topics discussed include weighted approximation on the line, Müntz's theorem, Toeplitz operators, Beurling's theorem on the invariant spaces of the shift operator, prediction theory, the Riesz convexity theorem, the Paley–Wiener theorem, the Titchmarsh convolution theorem, the Gleason–Kahane–Żelazko theorem, and the Fatou–Julia–Baker theorem. The discussion begins with the world's shortest proof of the fundamental theorem of algebra and concludes with Newman's almost effortless proof of the prime number theorem. Four brief appendices provide all necessary background in complex analysis beyond the standard first year graduate course. Lovers of analysis and beautiful proofs will read and reread this slim volume with pleasure and profit.



For additional information
and updates on this book, visit

www.ams.org/bookpages/ulect-58

ISBN 978-0-8218-7559-9



9 780821 875599

ULECT/58

AMS on the Web
www.ams.org