

## -NOTES-

### AN APPROXIMATE METHOD IN SIGNAL DETECTION\*

By WALTER F. FREIBERGER\*\* (*Brown University*)

**Abstract.** A theorem from the theory of Toeplitz forms (ref. 1) is applied to the problem of estimating the best test statistic for the detection of Gaussian signals in Gaussian noise.

Let  $x(t)$  be a stationary Gaussian process, mean zero, sampled at successive time points to provide an observer with a finite sample

$$\mathbf{x} = (x_1, x_2, \dots, x_n). \quad (1)$$

The time points are to be closely spaced to produce almost unit correlation. It is known to the observer that (1) is either a sample from a Gaussian ensemble  $\Omega_0$  with mean zero and power-density spectrum  $f_0(\lambda)$  or a sample from a Gaussian ensemble  $\Omega_1$  with mean zero and power-density spectrum  $f_1(\lambda)$ , and he is to decide whether (1) came from  $\Omega_0$  or  $\Omega_1$ . We take  $\Omega_0$  to be noise alone and  $\Omega_1$  signal plus noise and write

$$f_0(\lambda) = f_n(\lambda) \quad (2)$$

$$f_1(\lambda) = f_n(\lambda) + f_s(\lambda) \quad (3)$$

where  $f_n(\lambda)$  and  $f_s(\lambda)$  are the power spectral densities of noise and signal, respectively; the noise and signal processes are here assumed independent and their spectral densities thus additive.

Let  $H_0$  denote the hypothesis that noise only is present and  $H_1$  that we observe signal plus noise. If  $\Omega = \{\omega\} = \Omega_0 \cup \Omega_1$  denotes the sample space of all possible realizations of the process  $x(t)$  in a finite interval of time, so that  $\omega$  is a function of  $t \in (0, T)$ , then we define a critical region

$$W \subset \Omega \quad (4)$$

in the sense that

if  $\omega \in W$ ,  $H_0$  is rejected;

if  $\omega \notin W$ ,  $H_0$  is accepted.

The probability that  $H_0$  be rejected though true is denoted by  $P_0(W)$ , that it be accepted though false by  $P_1(W^*)$ , and the power of the test, i.e. the probability of rejection of  $H_0$ , consequently by

$$P_1(W) = 1 - P_1(W^*). \quad (5)$$

---

\*Received February 7, 1962. Research supported by the U. S. Army Signal Research and Development Laboratories, Fort Monmouth, under Contract DA 36-039 SC-78130.

\*\*Presently John Simon Guggenheim Memorial Fellow, Institute of Mathematical Statistics, University of Stockholm.

It is well known that although perfect detection is not possible in the case we are considering, the most powerful critical region  $W_{MP}$  is given by the Neyman-Pearson test

$$W_{MP} = \{\mathbf{x} \mid L(\mathbf{x}) > c\} \quad (6)$$

where the likelihood function  $L(\mathbf{x})$  is given by

$$L(\mathbf{x}) = \frac{p_1(x_1, x_2, \dots, x_n)}{p_0(x_1, x_2, \dots, x_n)}. \quad (7)$$

Here,  $p_0(\mathbf{x})$  and  $p_1(\mathbf{x})$ , the probability densities induced on  $\Omega$  by  $H_0$  and  $H_1$ , respectively, are given by

$$p_0(\mathbf{x}) = \frac{1}{(2\pi)^{n/2} \sqrt{\det R_0}} \exp\left(-\frac{1}{2}\mathbf{x}^* R_0^{-1} \mathbf{x}\right) \quad (8)$$

$$p_1(\mathbf{x}) = \frac{1}{(2\pi)^{n/2} \sqrt{\det R_1}} \exp\left(-\frac{1}{2}\mathbf{x}^* R_1^{-1} \mathbf{x}\right); \quad (9)$$

$R_0$  is the covariance matrix of the noise,  $R_1$  that of the signal plus noise; these are given by

$$R_0 = \left\{ \frac{1}{2\pi} \int_{-\pi}^{\pi} e^{i(\nu-\mu)\lambda} f_0(\lambda) d\lambda; \nu, \mu = 1, 2, \dots, n \right\} \quad (10)$$

and similarly for  $R_1$ . Hence

$$L(\mathbf{x}) = K \exp\left[\frac{1}{2}\mathbf{x}^*(R_0^{-1} - R_1^{-1})\mathbf{x}\right]. \quad (11)$$

The likelihood function is thus a monotonically increasing function of the quadratic form

$$\mathbf{x}^*(R_0^{-1} - R_1^{-1})\mathbf{x} = \mathbf{x}^* Q \mathbf{x}, \text{ say}; \quad (12)$$

hence

$$W_{MP} = \{\mathbf{x} \mid \mathbf{x}^*(R_0^{-1} - R_1^{-1})\mathbf{x} > c\}. \quad (13)$$

For practical purposes (12) is not a convenient expression since its use requires the inversion of large matrices. We shall now show how a theorem from the theory of Toeplitz forms (ref. 1) can be applied here to obtain a computationally feasible procedure. A similar approximation has previously (ref. 2) been found effective for the estimation of the spectral density of a random process.

The probability density of the quadratic form (12) can be looked on as being completely determined

(i) under hypothesis  $H_0$ , by the eigenvalues of the matrix

$$QR_0 = I - R_1^{-1}R_0; \quad (14)$$

(ii) under hypothesis  $H_1$ , by the eigenvalues of the matrix

$$QR_1 = R_0^{-1}R_1 - I. \quad (15)$$

Approximations to the distribution of quadratic forms such as (12) are considered in ref. 1. It is shown that the distribution is asymptotically normal, but since the matrices are nearly of Toeplitz character, closer approximations are suggested by Toeplitz theory.

It can be shown that, if  $\mu_0$  denotes the trace of  $QR_0$  and  $\mu_1$  the trace of  $QR_1$ ,

$$\mu_0 \cong \frac{1}{2\pi} \int_{-\pi}^{\pi} \frac{f_1(\lambda) - f_0(\lambda)}{f_1(\lambda)} d\lambda, \tag{16}$$

$$\mu_1 \cong \frac{1}{2\pi} \int_{-\pi}^{\pi} \frac{f_1(\lambda) - f_0(\lambda)}{f_0(\lambda)} d\lambda. \tag{17}$$

This suggests that we should use for our computations the quadratic form

$$\mathbf{x}^* Q_a \mathbf{x}$$

where

$$Q_a = \left\{ \frac{1}{2\pi} \int_{-\pi}^{\pi} e^{i(\nu-\mu)\lambda} \left( \frac{1}{f_0(\lambda)} - \frac{1}{f_1(\lambda)} \right) d\lambda; \nu, \mu = 1, 2, \dots, n \right\} \tag{18}$$

and construct what we might call the "approximately most powerful test"

$$W_{aMP} = \{ \mathbf{x} \mid \mathbf{x}^* Q_a \mathbf{x} > c \} \tag{19}$$

where, with (2) and (3),

$$\frac{1}{n} \mathbf{x}^* Q_a \mathbf{x} = \frac{1}{2\pi n} \int_{-\pi}^{\pi} \sum_{\nu, \mu=1}^n x_{\nu} e^{i(\nu-\mu)\lambda} x_{\mu} \frac{f_s(\lambda)}{f_n(\lambda)[f_n(\lambda) + f_s(\lambda)]} d\lambda. \tag{20}$$


But we know (cf. ref. 3, p. 91) that

$$\frac{1}{2\pi n} \left| \sum_{\nu=1}^n x_{\nu} e^{i\nu\lambda} \right|^2 = I(\lambda), \tag{21}$$

the periodogram, which is an unbiased and inconsistent estimate of the spectral density  $f(\lambda)$  of the process  $x(t)$ . Thus,

$$\begin{aligned} \frac{1}{n} \mathbf{x}^* Q_a \mathbf{x} &= \int_{-\pi}^{\pi} I(\lambda) \frac{f_s(\lambda)}{f_n(\lambda)[f_n(\lambda) + f_s(\lambda)]} d\lambda \\ &= \text{an estimate of } \int_{-\pi}^{\pi} f(\lambda) \frac{f_s(\lambda)}{f_n(\lambda)[f_n(\lambda) + f_s(\lambda)]} d\lambda. \end{aligned} \tag{22}$$

Hence, the approximately best test statistic is a weighted periodogram. The resulting signal detection method could therefore be represented schematically as follows:



The filter will have to have the relevant characteristic, viz

$$\sqrt{\frac{f_s(\lambda)}{f_n(\lambda)[f_n(\lambda) + f_s(\lambda)]}};$$

the power meter is a quadratic integrator. With this procedure, then, we do not have to invert large matrices but can construct simple physical devices; it is also suitable for high-speed computation.

To test the accuracy of this method, the frequency functions corresponding to the most powerful test based on

$$\mathbf{x}^*Q\mathbf{x}$$

and the approximately most powerful test based on

$$\mathbf{x}^*Q_a\mathbf{x}$$

were computed and compared numerically for a simple case.

We chose for the covariance matrix of the noise the unit matrix

$$R_0 = N = I$$

and for the covariance matrix of the signal

$$R_1 - R_0 = S = \{s_{\nu\mu} ; \nu, \mu = 1, 2, \dots, n\}$$

with

$$s_{\nu\mu} = \frac{1}{2\pi} \int_{-\pi}^{\pi} \frac{1 - \rho^2}{|1 - \rho e^{i\lambda}|^2} e^{i(\nu-\mu)\lambda} d\lambda = \rho^{|\nu-\mu|}$$

The spectral density of the noise is, hence,  $f_n(\lambda) \equiv 1$  and that of the signal

$$f_s(\lambda) = \frac{1 - \rho^2}{|1 - \rho e^{i\lambda}|^2}$$

is the Poisson kernel which, for values of  $\rho$  fairly close to 1, is narrow-band. The parameters chosen were

$$n = 20, \quad \rho = .7.$$

If we denote the eigenvalues of  $S$  by  $\lambda_\nu$ , those of

$$Q = N^{-1} - (N + S)^{-1} = I - (I + S)^{-1}$$

will be

$$1 - \frac{1}{1 + \lambda_\nu}.$$

We denote by  $g_0(x)$  the frequency function corresponding to the eigenvalues

$$1 - \frac{1}{1 + \lambda_\nu}$$

and by  $g_1(x)$  that corresponding to the eigenvalues  $\lambda_\nu$ . These are then the "exact" frequency functions.

For the approximate theory, we define the matrix  $Q_a$  with elements

$$\begin{aligned} l_{\nu\mu} &= \frac{1}{2\pi} \int_{-\pi}^{\pi} \frac{f_s(\lambda)}{f_n(n)[f_n(\lambda) + f_s(\lambda)]} e^{i(\nu-\mu)\lambda} d\lambda = \frac{1}{2\pi} \int_{-\pi}^{\pi} \frac{\frac{1 - \rho^2}{|1 - \rho e^{i\lambda}|^2}}{1 + \frac{1 - \rho^2}{|1 - \rho e^{i\lambda}|^2}} e^{i(\nu-\mu)\lambda} d\lambda \\ &= \frac{1 - \rho^2}{2\pi} \int_{-\pi}^{\pi} \frac{e^{i(\nu-\mu)\lambda}}{|1 - \rho e^{i\lambda}|^2 + 1 - \rho^2} d\lambda. \end{aligned}$$




FIG. 1




FIG. 2

19

By choosing the constant  $r$  as the solution of the equation

$$r[(1 - \rho^2) + (1 + \rho^2)] = \rho(1 + r^2)$$

such that  $0 < r < 1$ ,  $l_{r,\mu}$  can be brought to the form

$$\begin{aligned} l_{r,\mu} &= \frac{r}{2\pi\rho} \int_{-\pi}^{\pi} \frac{1 - \rho^2}{|1 - re^{i\lambda}|^2} e^{i(r-\mu)\lambda} d\lambda = \frac{r}{\rho(1 - \rho^2)} \frac{1}{2\pi} \int_{-\pi}^{\pi} \frac{1 - r^2}{|1 - re^{i\lambda}|^2} e^{i(r-\mu)\lambda} d\lambda \\ &= \frac{r}{\rho(1 - \rho^2)} \cdot r^{(r-\mu)}, \end{aligned}$$

since  $r^{(\nu-\mu)}$  is the Fourier transform of  $(1 - r^2)/|1 - re^{i\lambda}|^2$ . The eigenvalues of

$$Q_a = \{l_{\nu\mu}; \nu, \mu = 1, \dots, n\}, \quad n = 20, \quad \rho = .7$$

are computed to give the frequency function  $\gamma_0(x)$  which is to be an approximation to  $g_0(x)$  as defined above.

Similarly, the eigenvalues of

$$Q_a R_1 = Q_a(R_0 + S) = Q_a(I + M)$$

are found and used to determine the frequency function  $\gamma_1(x)$  which serves as an approximation to  $g_1(x)$  as defined above.

Figures 1 and 2 show the curves  $g_0(x)$ ,  $\gamma_0(x)$  and  $g_1(x)$ ,  $\gamma_1(x)$ , and agreement is seen to be very good.

**Acknowledgment.** Thanks are due to Professor Ulf Grenander on whose work and suggestions this paper is based.

#### REFERENCES

1. U. Grenander and G. Szegő, "Toeplitz Forms and their Applications," University of California Press 1958
2. W. Freiberger and U. Grenander, *Approximate distributions of noise power measurements*, Quart. Appl. Math. 17, 272-283 (1959)
3. U. Grenander and M. Rosenblatt, "Statistical Analysis of Stationary Time Series," John Wiley & Sons, New York; Almqvist & Wiksell, Stockholm, 1957